

STANDARD

LOCKS



■ This type of lock can be assembled to all drawers of the series STANDARD cabinets



■ 07

**DRAWERS SINGLE LOCK**


**ORD. NO.**

**F AG 9199 00 07**

Complete with:

- 1 steel support
- 1 cylinder lock
- with 2 keys series 45

Lock available in black RAL 9011.



- 01
- 02
- 04
- 08

**SECURITY SHELF BETWEEN DRAWERS**

**ORD. NO.**


FOR CABINETS SERIES

**F AG 9190 00 04**

F DD 10 (27x36 EH)

**F AG 9188 00 04**

F AG 20 (36x36 EH)



**SPARE LOCK**

**SUPPORT**

**ORD. NO.**

REFERENCE

**R XAG 0009 07**

A1+B1

**LOCK**

**ORD. NO.**





REFERENCE

**R CSR 0034 00**

C1+D1

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

**SUPPLEMENTARY PARTS ■**



- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.  
ORD. NO. R CSC 0002 00
- **Master key.** This type of key opens all the 45 and 46 series locks.  
ORD. NO. R CSC 0001 00





■ RAL 7035

**CABINET WITH WHEELS**

**ORD. NO.**

**F DD E550 S1 08**

Complete with:

4 drawers with single lock

3 security shelves

**Dimensions mm 575x815x797 h**

Tools and partitioning material excluded

■ **INFO**

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

■ Partitioning material: see page A180



[www.famispa.com](http://www.famispa.com)






**ORD. NO. F DD 1291 S1 EF**  
RAL 7000+7035



**ORD. NO. F DD E550 S1 08**  
RAL 7035



#### FIXING SET



2x

- 2 "HILTI" plugs for concrete floors  $\geq$  to classes B25/RBK250/MPa 25 N/mm<sup>2</sup>
- Recommended traction of the plug: 2.9 KN
- Plug diameter:  $\varnothing$  6 mm

**ORD. NO. F AG 9204 00 99**

#### CABINET FLOOR FIXING SET

- Pair of spare galvanised brackets
- $\varnothing$  6 mm hole



**ORD. NO. F AG 9200 00 99**

#### CABINET

##### ORD. NO.

#### F DD 1291 S1 EF

- Complete with 3 drawers
- 1 600 mm height door
- 1 adjustable shelf, 1 retractable shelf
- 1 MDF shelf with rubber covering
- Dimensions mm 564x726x1030 h**
- Tools excluded

#### CABINET WITH WHEELS

##### ORD. NO.

#### F DD E550 S1 08

- Complete with
- 4 drawers with single lock
- 3 security shelves
- Dimensions mm 575x815x797 h**
- Partitioning material excluded

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

#### SUPPLEMENTARY PARTS ■



- Partitioning material: see page A72-A73




- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.  
**ORD. NO. R CSC 0002 00**
- **Master key.** This type of key opens all the 45 and 46 series locks.  
**ORD. NO. R CSC 0001 00**



LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)

CABINETS SERIES STANDARD B




• **ORD. NO.** DRAWERS  
**F DD 1020 51 04** 2  
 Cabinet with 2 normal extension drawers  
 Dim. mm 564x726x283 h Central lock



• **ORD. NO.** DRAWERS  
**F DD 1020 52 04** 2  
 Cabinet with 2 normal extension drawers  
 Dim. mm 564x726x283 h Central lock



• **ORD. NO.** DRAWERS  
**F DD 1020 53 04** 3  
 Cabinet with 3 normal extension drawers  
 Dim. mm 564x726x283 h Central lock



• **ORD. NO.** DRAWERS  
**F DD 1030 51 04** 2  
 Cabinet with 2 normal extension drawers  
 Dim. mm 564x726x383 h Central lock



• **ORD. NO.** DRAWERS  
**F DD 1030 55 04** 2  
 Cabinet with 2 normal extension drawers  
 Dim. mm 564x726x383 h Central lock



• **ORD. NO.** DRAWERS  
**F DD 1030 52 04** 3  
 Cabinet with 3 normal extension drawers  
 Dim. mm 564x726x383 h Central lock




**ORD. NO.** DRAWERS  
**F DD 1050 52 04** 4  
 Cabinet with 4 normal extension drawers  
 Dim. mm 564x726x600 h Central lock



**ORD. NO.** DRAWERS  
**F DD 1050 53 04** 5  
 Cabinet with 5 normal extension drawers  
 Dim. mm 564x726x600 h Central lock




RAL 7035



• **ORD. NO.** DRAWERS  
**F DD 1060 54 04** 4  
 Cabinet with 4 normal extension drawers  
 Dim. mm 564x726x700 h  
 Central lock



• **ORD. NO.** DRAWERS  
**F DD 1060 51 04** 5  
 Cabinet with 5 normal extension drawers  
 Dim. mm 564x726x700 h  
 Central lock



• **ORD. NO.** DRAWERS  
**F DD 1160 51 04** 2  
 Cabinet with 2 normal extension drawers  
 1 normal retractable shelf  
 Dim. mm 564x726x700 h Central lock

KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



- The cabinets must be secured to the floor or to the wall.
- PE-S = normal retractable shelf (87%)
- S = normal extension (87%)




■ Detail of the normal retractable shelves (PE-S) with load capacity of 70 kg.

■ Partitioning material: see page A72-A73



CABINETS SERIES STANDARD B



**ORD. NO.** DRAWERS  
**F DD 1070 55 04** 4  
 Cabinet with 4 normal extension drawers  
**Dim. mm 564x726x800 h** Central lock




**ORD. NO.** DRAWERS  
**F DD 1070 51 04** 5  
 Cabinet with 5 normal extension drawers  
**Dim. mm 564x726x800 h** Central lock




**ORD. NO.** DRAWERS  
**F DD 1070 52 04** 6  
 Cabinet with 6 normal extension drawers  
**Dim. mm 564x726x800 h** Central lock



**ORD. NO.** DRAWERS  
**F DD 1070 53 04** 7  
 Cabinet with 7 normal extension drawers  
**Dimensions mm 564x726x800 h**  
 Central lock



**ORD. NO.** DRAWERS  
**F DD 1170 51 04** 2  
 Cabinet with 2 normal extension drawers  
 1 normal retractable shelf  
**Dim. mm 564x726x800 h** Central lock




**ORD. NO.** DRAWERS  
**F DD 1270 51 04** 1  
 Cabinet with 1 normal extension drawer  
 1 adjustable shelf, 1 normal retractable shelf  
**Dim. mm 564x726x800 h** Central lock



**ORD. NO.** DRAWERS  
**F DD 1072 51 04** 5  
 Cabinet with 5 normal extension drawers  
**Dimensions mm 564x726x825 h**  
 Central lock



**ORD. NO.** DRAWERS  
**F DD 1072 52 04** 6  
 Cabinet with 6 normal extension drawers  
**Dimensions mm 564x726x825 h**  
 Central lock



**ORD. NO.** DRAWERS  
**F DD 1272 51 04** 1  
 Cabinet with 1 normal extension drawer  
 1 adjustable shelf, 1 normal retractable shelf  
**Dim. mm 564x726x825 h** Central lock


RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

KEY



■ Partitioning material: see page A72-A73

■ Detail of the normal retractable shelves (PE-S) with load capacity of 70 kg.



- The cabinets must be secured to the floor or to the wall.
- PE-S = normal retractable shelf (87%)
- PR = height adjustable shelf
- S = normal extension (87%)



LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)

CABINETS SERIES STANDARD B



•ORD. NO. DRAWERS  
**F DD 1075 51 04** 5  
 Cabinet with 5 normal extension drawers  
 Dim. mm 564x726x850 h Central lock




•ORD. NO. DRAWERS  
**F DD 1075 52 04** 6  
 Cabinet with 6 normal extension drawers  
 Dim. mm 564x726x850 h Central lock




•ORD. NO. DRAWERS  
**F DD 1075 53 04** 7  
 Cabinet with 7 normal extension drawers  
 Dim. mm 564x726x850 h Central lock




•ORD. NO. DRAWERS  
**F DD 1075 54 04** 8  
 Cabinet with 8 normal extension drawers  
 Dimensions mm 564x726x850 h  
 Central lock



•ORD. NO. DRAWERS  
**F DD 1175 51 04** 3  
 Cabinet with 3 normal extension drawers  
 1 normal retractable shelf  
 Dim. mm 564x726x850 h Central lock




•ORD. NO. DRAWERS  
**F DD 1275 51 04** 1  
 Cabinet with 1 normal extension drawer  
 1 adjustable shelf, 1 normal retractable shelf  
 Dim. mm 564x726x850 h Central lock



•ORD. NO. DRAWERS  
**F DD 1090 52 04** 6  
 Cabinet with 6 normal extension drawers  
 Dimensions mm 564x726x1000 h  
 Central lock



•ORD. NO. DRAWERS  
**F DD 1090 51 04** 7  
 Cabinet with 7 normal extension drawers  
 Dimensions mm 564x726x1000 h  
 Central lock



•ORD. NO. DRAWERS  
**F DD 1290 51 04** 3  
 Cabinet with 3 normal extension drawers  
 1 adjustable shelf, 1 normal retractable shelf  
 Dim. mm 564x726x1000 h Central lock

KEY

- RAL 7000 F. ....01
- RAL 6011 F. ....02
- RAL 5012 F. ....04
- RAL 7035 F. ....08




- The cabinets must be secured to the floor or to the wall.
- PE-S = normal retractable shelf (87%)
- PR = height adjustable shelf
- S = normal extension (87%)



■ Detail of the normal retractable shelves (PE-S) with load capacity of 70 kg.

■ Partitioning material: see page A72-A73





■ RAL 7000 + ■ RAL 7035

**EXAMPLE INCLUDING:****ORD. NO.****F DD ZA01 00 EF**3 cabinets with drawers, doors,  
adjustable shelves, retractable shelves,  
Mdf top with rubber**Dimensions mm 1695x726x1030 h**

Tools and partitioning material excluded

**ORD. NO. F BL 1020 00 00**

Steel vice 130 mm

**ORD. NO. F DD E550 S1 08**

■ RAL 7035

**ORD. NO. F DD E030 02 08**

■ RAL 7035

**EXAMPLE INCLUDING:****WORKSTATION****ORD. NO.****F BI A370 01 08**Workstation complete with 2 legs  
40 mm thick multiplex worktop**Dimensions mm 2000x800x840 h****CABINET WITH WHEELS****ORD. NO.****F DD E550 S1 08**Complete with 4 drawers with single lock  
3 security shelves**Dimensions mm 575x815x797 h****CABINET WITH WHEELS****ORD. NO.****F DD E030 02 08**

Complete with 3 drawers

**Dimensions mm 575x815x772 h**

Partitioning material excluded

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

**INFO ■**■ Partitioning  
material: see  
page A72-A73■ The handles can be  
fitted towards the  
bottom thereby  
reducing the height  
by 38 mm.[www.famispa.com](http://www.famispa.com)

LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)

## CABINETS SERIES STANDARD B



ORD. NO.	DRAWERS
<b>F DD D020 01 04</b>	<b>2</b>
Cabinet with 2 normal extension drawers	
Ø100 mm standard rubber wheels	
Cabinet load capacity: 160 kg	
<b>Dim. mm 575x815x810 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD D020 02 04</b>	<b>2</b>
Cabinet with 2 normal extension drawers	
Ø100 mm standard rubber wheels	
Cabinet load capacity: 160 kg	
<b>Dim. mm 575x815x810 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD D020 03 04</b>	<b>3</b>
Cabinet with 3 normal extension drawers	
Ø100 mm standard rubber wheels	
Cabinet load capacity: 160 kg	
<b>Dim. mm 575x815x810 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD E030 01 04</b>	<b>2</b>
Cabinet with 2 normal extension drawers	
Ø100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dim. mm 575x815x810 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD E030 02 04</b>	<b>3</b>
Cabinet with 3 normal extension drawers	
Ø100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dim. mm 575x815x810 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD E030 04 04</b>	<b>4</b>
Cabinet with 4 normal extension drawers	
Ø100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dim. mm 575x815x810 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD E550 01 04</b>	<b>3</b>
Cabinet with 3 normal extension drawers	
Ø100 mm nylon wheels. Cabinet load capacity: 310 kg	
<b>Dim. mm 575x815x797 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD E550 02 04</b>	<b>4</b>
Cabinet with 4 normal extension drawers	
Ø100 mm nylon wheels. Cabinet load capacity: 310 kg	
<b>Dim. mm 575x815x797 h</b>	Central lock



ORD. NO.	DRAWERS
<b>F DD E550 03 04</b>	<b>5</b>
Cabinet with 5 normal extension drawers	
Ø100 mm nylon wheels. Cabinet load capacity: 310 kg	
<b>Dim. mm 575x815x797 h</b>	Central lock

## KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08




- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights.



■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.

■ Partitioning material: see page A72-A73





CABINETS SERIES STANDARD B



• ORD. NO.	DRAWERS
<b>F DD E560 04 04</b>	<b>4</b>
Cabinet with 4 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x897 h</b>	
Central lock	



• ORD. NO.	DRAWERS
<b>F DD E560 01 04</b>	<b>5</b>
Cabinet with 5 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x897 h</b>	
Central lock	



• ORD. NO.	DRAWERS
<b>F DD E560 02 04</b>	<b>6</b>
Cabinet with 5 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x897 h</b>	
Central lock	



• ORD. NO.	DRAWERS
<b>F DD E570 01 04</b>	<b>5</b>
Cabinet with 5 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x997 h</b>	
Central lock	




• ORD. NO.	DRAWERS
<b>F DD E570 02 04</b>	<b>6</b>
Cabinet with 6 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x997 h</b>	
Central lock	



• ORD. NO.	DRAWERS
<b>F DD E570 03 04</b>	<b>7</b>
Cabinet with 7 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x997 h</b>	
Central lock	

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

KEY ■



■ Partitioning material: see page A72-A73

■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.



- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights.



LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)

## CABINETS SERIES STANDARD B



•ORD. NO.	DRAWERS
<b>F DD E575 01 04</b>	<b>5</b>
Cabinet with 5 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x1047 h</b>	
Central lock	



•ORD. NO.	DRAWERS
<b>F DD E575 02 04</b>	<b>6</b>
Cabinet with 6 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x1047 h</b>	
Central lock	



ORD. NO.	DRAWERS
<b>F DD E575 03 04</b>	<b>7</b>
Cabinet with 7 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x1047 h</b>	
Central lock	



•ORD. NO.	DRAWERS
<b>F DD E590 01 04</b>	<b>6</b>
Cabinet with 6 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x1197 h</b>	
Central lock	



•ORD. NO.	DRAWERS
<b>F DD E590 02 04</b>	<b>7</b>
Cabinet with 7 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x1197 h</b>	
Central lock	



•ORD. NO.	DRAWERS
<b>F DD E590 03 04</b>	<b>8</b>
Cabinet with 8 normal extension drawers	
Ø 100 mm nylon wheels	
Cabinet load capacity: 310 kg	
<b>Dimensions mm 575x815x1197 h</b>	
Central lock	

## KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08




- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights.



■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.

■ Partitioning material: see page A72-A73



## CABINETS SERIES STANDARD B

## EMPTY CABINETS PREPARED FOR DRAWERS

ORD. NO.	USABLE HEIGHT mm	LOAD CAPACITY kg	DIMENSIONS mm
F DD 1020 00 04	200	3100	564x726x283 h
F DD 1030 00 04	300	3100	564x726x383 h
F DD 1050 00 04	500	3100	564x726x600 h
F DD 1060 00 04	600	3100	564x726x700 h
F DD 1070 00 04	700	3100	564x726x800 h
F DD 1072 00 04	725	3100	564x726x825 h
F DD 1075 00 04	750	3100	564x726x850 h
F DD 1090 00 04	900	3100	564x726x1000 h




■ 01 ■ 02 ■ 04 ■ 08

■ The cabinets must be secured to the floor or to the wall. If the cabinets are stacked they must be secured to the wall and their load capacity must be divided by 2. Further information for fixing set see page A60.

## EMPTY CABINET WITH DOOR – DOOR WITH RIGHT-HAND OPENING

ORD. NO.	DOOR HEIGHT mm	USABLE HEIGHT mm	LOAD CAPACITY kg	DIMENSIONS mm
F DD 1260 D0 04	600	600	3100	564x726x700 h



■ 01  
■ 02  
■ 04  
■ 08


■ Drawers cannot be fitted behind doors

## EMPTY CABINET WITH DOOR – DOOR WITH LEFT-HAND OPENING

ORD. NO.	DOOR HEIGHT mm	USABLE HEIGHT mm	LOAD CAPACITY kg	DIMENSIONS mm
F DD 1261 D0 04	600	600	3100	564x726x700 h

## EMPTY CABINETS PREPARED FOR DOORS

ORD. NO.	DOOR HEIGHT (A) mm	DRAWERS HEIGHT (B) mm	USABLE HEIGHT (C) mm	LOAD CAPACITY kg	DIMENSIONS mm
F DD 1150 00 04	400	75	500	3100	564x726x600 h
	400	175			
F DD 1160 00 04	425	150	600	3100	564x726x700 h
	500	75			
	400	275			
F DD 1170 00 04	425	250	700	3100	564x726x800 h
	500	175			
	575	100			
	600	75			
F DD 1172 00 04	400	300	725	3100	564x726x825 h
	425	275			
	500	200			
	575	125			
F DD 1175 00 04	600	100	750	3100	564x726x850 h
	400	325			
	425	300			
	500	225			
F DD 1190 00 04	575	150	900	3100	564x726x1000 h
	600	125			
	400	475			
	425	450			
F DD 1190 00 04	500	375	900	3100	564x726x1000 h
	575	300			
	600	275			



■ 01  
■ 02  
■ 04  
■ 08

■ Drawers cannot be fitted behind doors

## REVERSIBLE DOOR

ORD. NO.	HEIGHT (A) mm
F DD 9640 01 04	400
F DD 9642 01 04	425
F DD 9645 01 04	500
F DD 9649 01 04	575
F DD 9650 01 04	600



■ Drawers cannot be fitted behind doors

■ The door can be fitted both with left-hand and right-hand opening.

■ 01 ■ 02 ■ 04 ■ 08

## SPARE LOCK AND SPARE HANDLE

ORD. NO.
R CSR 0003 00
Spare lock (for cabinet)
R CSR 0035 00
Spare lock (for doors handle)
R XDA 0002 07
Spare handle (for doors)


LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)

## CABINETS SERIES STANDARD B

CABINET TO CABINET  
FIXING

■ The article includes:  
4 M8 nuts and bolts

ORD. NO. F AG 9202 00 99




## TWO SIDED ADHESIVE TAPE

ORD. NO.

R CMV 0025 00

width 15 mm, length 50 metres



■ 07

## CABINET UPSTAND

ORD. NO.

DIMENSIONS mm

F DD 9150 01 07

564x726x20 h

oil-resistant rubber cover top with 3 edges

## DRAWERS

ORD. NO.

FRONT HEIGHT mm

LOAD CAPACITY kg

USABLE DIMENSIONS mm

F DD 8050 00 04

50

60

447x600x36 h

F DD 8075 00 04

75

80

447x600x61 h

F DD 8100 00 04

100

100

447x600x86 h

F DD 8125 00 04

125

100

447x600x111 h

F DD 8150 00 04

150

100

447x600x136 h

F DD 8200 00 04

200

100

447x600x186 h

F DD 8250 00 04

250

100

447x600x236 h


F DD 8300 00 04

300

100

447x600x286 h


Normal extension (87%)



■ 01  
■ 02  
■ 04  
■ 08

■ Drawers cannot be fitted behind doors

■ Partitioning material:  
see page A72



## RETRACTABLE SHELVES

ORD. NO.

SIDE HEIGHT mm

LOAD CAPACITY kg

USABLE DIMENSIONS mm


F DD 8000 00 04

-

70

435x610

Normal extension (87%)



■ 01  
■ 02  
■ 04

## ADJUSTABLE SHELVES

ORD. NO.

SIDE HEIGHT mm

LOAD CAPACITY kg

USABLE DIMENSIONS mm


F DD 9100 01 04

-

70

500x600

Without extension system



■ 01  
■ 02  
■ 04

## PLINTHS

ORD. NO.

HEIGHT mm

F DD 9300 00 07

50

F DD 9330 00 07

100



■ 07

## ■ KEY

RAL 7000 F. ....01


RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08




■ All indicated loads are net and refer to evenly distributed weights.





CABINETS SERIES STANDARD B

UPPER MDF TOP WITH RUBBER COVERING DIMENSIONS 565x726x31,5 mm H




Detail of the oil-resistant rubber




■ 07

A



■ 07

B



■ 07

C

ORD. NO.

F UZ 3200 11 07

MDF top with rubber covering

Side profile

For end cabinets

Oil-resistant rubber mat

ORD. NO.

F UZ 3200 12 07

MDF top with rubber covering

No side profile

For additional central cabinets Oil-resist. rubber mat

ORD. NO.

F UZ 3200 13 07

MDF top with rubber covering

2 side profiles

For single cabinet

Oil-resistant rubber mat




RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

KEY ■



■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.



■ All indicated loads are net and refer to evenly distributed weights.




LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)

## CABINETS SERIES STANDARD B

## CABINETS PREPARED FOR WHEELS

Cabinet prepared for wheels including: wheel plate, 4 edged top with oil-resistant rubber, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.




01  
02  
04  
08

## ORD. NO.

**F DD 0550 00 04**

Overall dim. mm 575x815x667 h without wheels

\*Wheel plate thickness




01  
02  
04  
08

## ORD. NO.

**F DD 0560 00 04**

Overall dim. mm 575x815x767 h without wheels

\*Wheel plate thickness




01  
02  
04  
08

## ORD. NO.

**F DD 0570 00 04**

Overall dim. mm 575x815x867 h without wheels

\*Wheel plate thickness




01  
02  
04  
08

## ORD. NO.

**F DD 0572 00 04**

Overall dim. mm 575x815x892 h without wheels

\*Wheel plate thickness




01  
02  
04  
08

## ORD. NO.

**F DD 0575 00 04**

Overall dim. mm 575x815x917 h without wheels

\*Wheel plate thickness




01  
02  
04  
08

## ORD. NO.

**F DD 0590 00 04**

Overall dim. mm 575x815x1067 h without wheels

\*Wheel plate thickness




01  
02  
04  
08

## ORD. NO.

**F DD 0020 00 04**

Overall dim. mm 575x815x675 h without wheels

Prepared for wheels Ø mm 100 125 150



01  
02  
04  
08

## ORD. NO.


**F DD 0030 00 04**


Overall dim. mm 575x815x675 h without wheels


Prepared for wheels Ø mm 100 125 150


■ The single drawer opening system  
ORD. NO. F DD 9400 00 07 must be  
applied to all drawers of mobile  
cabinets.

■ Other types of wheels see page A52


	SWIVEL WHEEL WITH BRAKE IN STANDARD RUBBER			
	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	<b>C RG DAC11 100</b>	100	160 kg	130
	<b>C RG DAC12 125</b>	125	235 kg	160
	<b>C RG DAC13 150</b>	150	280 kg	185

	FIXED WHEEL IN STANDARD RUBBER			
	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	<b>C RG BAC11 100</b>	100	160 kg	130
	<b>C RG BAC12 125</b>	125	235 kg	160
	<b>C RG BAC13 150</b>	150	280 kg	185


	SWIVEL WHEEL WITH BRAKE IN NYLON			
	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	<b>C RN DAD10 100</b>	100	310 kg	130
	<b>C RN DAD11 125</b>	125	475 kg	160

	FIXED WHEEL IN NYLON			
	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	<b>C RN BAD10 100</b>	100	310 kg	130
	<b>C RN BAD11 125</b>	125	475 kg	160


## CABINETS SERIES STANDARD B




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 01 00</b>	50-300
Set including:	
12 Troughs	4 grooves
50 Plain partitions	36 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 06 00</b>	50-300
Set including:	
12 Troughs	3 grooves
27 Plain partitions	47 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 04 00</b>	50-300
Set including:	
12 Troughs	2 grooves
18 Plain partitions	73 mm



ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 16 00</b>	50
<b>F FH 8607 16 00</b>	75
Set including:	
16 Plastic boxes with 2 compartments	75x75 mm
16 Plastic boxes	75x75 mm
4 Plastic boxes	150x75 mm
2 Plastic boxes	150x150 mm



ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 17 00</b>	50
<b>F FH 8607 17 00</b>	75
Set including:	
16 Plastic boxes	75x75 mm
8 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm



ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 18 00</b>	50
<b>F FH 8607 18 00</b>	75
<b>F FH 8610 18 00</b>	100-125
Set including:	
12 Plastic boxes	150x75 mm
6 Plastic boxes	150x150 mm

## INFO ■




■ Partitioning material: see page **A180**

[www.famispa.com](http://www.famispa.com)




LENGTH = 564 mm DEPTH = 726 mm (27x36 Eh)


## CABINETS SERIES STANDARD B




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 07 00</b>	50
<b>F FH 8607 07 00</b>	75
<b>F FH 8610 07 00</b>	100-125
<b>F FH 8615 07 00</b>	150-175
<b>F FH 8620 07 00</b>	200-250
<b>F FH 8630 07 00</b>	300
Set including:	
1 Slotted partition	610 mm
1 Plain partition	200 mm
1 Plain partition	251 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 08 00</b>	50
<b>F FH 8607 08 00</b>	75
<b>F FH 8610 08 00</b>	100-125
<b>F FH 8615 08 00</b>	150-175
<b>F FH 8620 08 00</b>	200-250
<b>F FH 8630 08 00</b>	300
Set including:	
2 Slotted partitions	610 mm
3 Plain partitions	149 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 09 00</b>	50
<b>F FH 8607 09 00</b>	75
<b>F FH 8610 09 00</b>	100-125
<b>F FH 8615 09 00</b>	150-175
<b>F FH 8620 09 00</b>	200-250
Set including:	
2 Slotted partitions	610 mm
10 Plain partitions	149 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 10 00</b>	50
<b>F FH 8607 10 00</b>	75
<b>F FH 8610 10 00</b>	100-125
<b>F FH 8615 10 00</b>	150-175
Set including:	
3 Slotted partitions	610 mm
6 Plain partitions	98 mm
2 Plain partitions	149 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 12 00</b>	50
<b>F FH 8607 12 00</b>	75
<b>F FH 8610 12 00</b>	100-125
<b>F FH 8615 12 00</b>	150-175
<b>F FH 8620 12 00</b>	200-250
Set including:	
1 Slotted partition	610 mm
4 Plain partitions	610 mm
1 Plain partition	149 mm




ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 13 00</b>	50
<b>F FH 8607 13 00</b>	75
<b>F FH 8610 13 00</b>	100-125
<b>F FH 8615 13 00</b>	150-175
<b>F FH 8620 13 00</b>	200-250
<b>F FH 8630 13 00</b>	300
Set including:	
2 Plain partitions	610 mm



ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 15 00</b>	500-300
Set including:	
10 Cutter holders	Ø 12,2 mm
5 Cutter holders	Ø 26,5 mm
5 Cutter holders	Ø 31,2 mm



ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8605 19 00</b>	500-300
Set including:	
2 Multi-purpose supports	440 mm



ORD. NO.	FOR FRONT HEIGHTS
<b>F FH 8610 14 00</b>	100
<b>F FH 8615 14 00</b>	150
<b>F FH 8620 14 00</b>	200-250
Set including:	
2 Plain partitions	610 mm
20 Location pins	27 mm
1 Sliding drawer	470 mm

## ■ INFO


[www.famispa.com](http://www.famispa.com)

■ Partitioning material: see page A180

