




ORD. NO. F AG 1040 S1 51
RAL 5012+7000

ORD. NO. F AG L134 03 50
RAL 7035+5012

36 EH (600 mm)



27 EH (447 mm)

FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors \geq to classes B25/RBK250/MPA 25 N/mm²
- Recommended traction of the plug: 2.9 KN
- Plug diameter: \varnothing 6 mm

ORD. NO. F AG 9204 00 99

CABINET FLOOR FIXING SET

- Pair of spare galvanised brackets
- \varnothing 6 mm hole



ORD. NO. F AG 9200 00 99

CABINET

ORD. NO.

F AG 1040 S1 51

Complete with 10 drawers,
1 rubber cover top with 4 edges

Dimensions mm 717x573x1000 h

Tools and partitioning material
excluded

CABINET WITH WHEELS

ORD. NO.

F AG L134 03 50

Complete with 8 drawers

Dimensions mm 717x574x1121 h

RAL 7000 F.01

RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

SUPPLEMENTARY PARTS ■



- Partitioning material: see page A80-A81



- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00

- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00




LENGTH = 717 mm DEPTH = 573 mm (36x27 Eh)


CABINETS SERIES STANDARD GE




■ The door can be closed by the edge of the lower drawer handle (ref. Y)




ORD. NO.	TYPE
F AG 1034 01 04	A
F AG 1034 51 04	B
Cabinet with 7 drawers	
Dim. mm 717x573x850 h	Central lock




ORD. NO.	TYPE
F AG 1034 02 04	A
F AG 1034 52 04	B
Cabinet with 7 drawers	
Dim. mm 717x573x850 h	Central lock



ORD. NO.	TYPE
F AG 1034 03 04	A
F AG 1034 53 04	B
Cabinet with 8 drawers	
Dim. mm 717x573x850 h	Central lock




ORD. NO.	TYPE
F AG 1040 03 04	A
F AG 1040 53 04	B
Cabinet with 7 drawers	
Dim. mm 717x573x1000 h	Central lock



ORD. NO.	TYPE
F AG 1040 10 04	A
F AG 1040 60 04	B
Cabinet with 8 drawers	
Dim. mm 717x573x1000 h	Central lock




ORD. NO.	TYPE
F AG 1040 05 04	A
F AG 1040 55 04	B
Cabinet with 9 drawers	
Dim. mm 717x573x1000 h	Central lock



ORD. NO.	TYPE
-	-
F AG 1058 01 04	B
Cabinet with 9 drawers	
Dim. mm 717x573x1450 h	Central lock



ORD. NO.	TYPE
F AG 1058 04 04	A
F AG 1058 54 04	B
Cabinet with 9 drawers	
Dim. mm 717x573x1450 h	Central lock



ORD. NO.	TYPE
F AG 1058 03 04	A
F AG 1058 53 04	B
Cabinet with 13 drawers	
Dim. mm 717x573x1450 h	Central lock

CABINETS SERIES STANDARD GE



- | | |
|----------|----------|
| A | B |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 125-S | 125-TT |
| 125-S | 125-TT |
| 150-TT | 150-TT |



- | | |
|----------|----------|
| A | B |
| 50-S | 50-S |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |




- | | |
|----------|----------|
| A | B |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |

ORD. NO.	TYPE
F AG S134 02 04	A
F AG S134 52 04	B
Cabinet with 7 drawers with Ø 125 mm wheels in elastic rubber	
Cabinet load capacity: 420 kg	
Dimensions mm 717x574x1077 h	
Central lock	

ORD. NO.	TYPE
F AG S134 01 04	A
F AG S134 51 04	B
Cabinet with 7 drawers with Ø 125 mm wheels in elastic rubber	
Cabinet load capacity: 420 kg	
Dimensions mm 717x574x1077 h	
Central lock	

ORD. NO.	TYPE
F AG S134 03 04	A
F AG S134 53 04	B
Cabinet with 8 drawers with Ø 125 mm wheels in elastic rubber	
Cabinet load capacity: 420 kg	
Dimensions mm 717x574x1077 h	
Central lock	



- | | |
|----------|----------|
| A | B |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 300-TT | 300-TT |



- | | |
|----------|----------|
| A | B |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |



- | | |
|----------|----------|
| A | B |
| 50-S | 50-S |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |

ORD. NO.	TYPE
F AG S140 01 04	A
F AG S140 51 04	B
Cabinet with 6 drawers with Ø 125 mm wheels in elastic rubber	
Cabinet load capacity: 420 kg	
Dimensions mm 717x574x1227 h	
Central lock	

ORD. NO.	TYPE
F AG S140 02 04	A
F AG S140 52 04	B
Cabinet with 6 drawers with Ø 125 mm wheels in elastic rubber	
Cabinet load capacity: 420 kg	
Dimensions mm 717x574x1227 h	
Central lock	

ORD. NO.	TYPE
F AG S140 03 04	A
F AG S140 53 04	B
Cabinet with 8 drawers with Ø 125 mm wheels in elastic rubber	
Cabinet load capacity: 420 kg	
Dimensions mm 717x574x1227 h	
Central lock	

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

KEY ■



■ Partitioning material: see page A80-A81

■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.






- TT = telescopic full extension (100%)
- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights.



LENGTH = 717 mm DEPTH = 573 mm (36x27 Eh)

CABINETS SERIES STANDARD GE

FLAP DOOR



ORD. NO.

REFERENCE

F AG 9510 00 04

A+(Cx2)

Flap door with 2 guides and 2 brackets to block the door with the lower drawer locked.

ORD. NO.

REFERENCE

F DA 9698 00 99

B


The order number includes just 1 piece. 2 pieces are needed for each door.

A = usable height of the drawer

Warning: the 60 mm distance from the drawer edge should be respected only if the door has to be closed with the two brackets (Ref. C)



■ The two order number (ref. B) must be used when the door is fitted along with the normal or full telescopic extension drawer (ref. Z). See photo ref. 5 to understand the usable internal volume.



■ The two order number (ref. B) are not required when the door is fitted along with the adjustable shelf (ref. T) ORD. NO. F SR 1210 01 .. N. B. the drawer (ref. Y) must be normal extension.



■ The door can be closed by the edge of the lower drawer handle (ref. Y)

■ INFO

RAL 7000 F.01


RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08



www.famispa.com



CABINETS SERIES STANDARD GE

EMPTY CABINETS

ORD. NO.	USABLE HEIGHT mm	LOAD CAPACITY kg	DIMENSIONS mm
F AG 1034 00 04	750	3100	717x573x850 h
F AG 1040 00 04	900	3100	717x573x1000 h
F AG 1058 00 04	1350	3100	717x573x1450 h

■ 01 ■ 02 ■ 04 ■ 08



■ The cabinets must be secured to the floor or to the wall. If the cabinets are stacked they must be secured to the wall and their load capacity must be divided by 2. Further information for fixing set see page A60.


SPARE LOCK

ORD. NO. R CSR 0003 00
for cabinet

FULL TELESCOPIC EXTENSION DRAWERS (TT)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 1107 00 04	75	200	600x447x54 h
F FG 1110 00 04	100	200	600x447x79 h
F FG 1112 00 04	125	200	600x447x104 h
F FG 1115 00 04	150	200	600x447x129 h
F FG 1120 00 04	200	200	600x447x179 h
F FG 1125 00 04	250	200	600x447x229 h
F FG 1130 00 04	300	200	600x447x279 h

Full telescopic extension (100%)




■ Partitioning material: see page A80-A81

NORMAL EXTENSION DRAWERS (S)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 1005 00 04	50	60	600x447x36
F FG 1007 00 04	75	80	600x447x61
F FG 1010 00 04	100	100	600x447x86
F FG 1012 00 04	125	100	600x447x111


Normal extension (87%)



FULL TELESCOPIC EXTENSION SHELVES (PE-TT)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8110 00 04	-	200	610x459

Full telescopic extension (100%)



NORMAL EXTENSION SHELVES (PE-S)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8010 00 04	-	100	610x459

Normal extension (87%)



ADJUSTABLE SHELVES

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F SR 1210 01 04	25	150	655x460


Without extension system



CABINET TO CABINET FIXING

■ The article includes:
4 M8 nuts and bolts

ORD. NO. F AG 9202 00 99



TWO SIDED ADHESIVE TAPE

ORD. NO.

R CMV 0025 00

width 15 mm, length 50 metres




CABINET UPSTAND

ORD. NO. DIMENSIONS mm

F AG 9000 01 07 717x573x20 h

oil-resistant rubber cover top with 3 edges



LENGTH = 717 mm DEPTH = 573 mm (36x27 Eh)

CABINETS SERIES STANDARD GE



PLINTHS

ORD. NO.

F RR 0050 00 07

Plinths height 50 mm




PLINTHS FOR TRANSPALLET

ORD. NO.

F RR 0300 00 07 Plinths height 100 mm

F RR 0405 00 07 Facing piece




PLINTHS FOR FORK LIFT TRUCK

ORD. NO.

F RR 0200 00 07 Pair of plinths height 60 mm

F RR 0400 00 07 Facing piece

UPPER MDF TOP WITH RUBBER COVERING DIMENSIONS 718x573x31,5 mm H




ORD. NO. F UZ 9999 00 00

Drilling of the cabinet upper shelf for the MDF top fixing.



Detail of the oil-resistant rubber



ORD. NO.


F UZ 3080 11 07

MDF top with rubber covering

Side profile

For end cabinets

Oil-resistant rubber mat




ORD. NO.

F UZ 3080 12 07

MDF top with rubber covering

No side profile

For additional central cabinets Oil-resist. rubber mat



ORD. NO.

F UZ 3080 13 07

MDF top with rubber covering

2 side profiles

For single cabinet

Oil-resistant rubber mat


CABINET PREPARED FOR WHEELS

Cabinet prepared for wheels including: wheel plate, 4 edged top with oil-resistant rubber, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.



The single drawer opening system **ORD. NO. F DD 9400 00 07** must be applied to all drawers of mobile cabinets.

01
02
04
08




ORD. NO.

F AG 0134 00 04

Overall dim. mm 792x574x917 h without wheels

*Wheel plate thickness

01
02
04
08



ORD. NO.

F AG 0140 00 04

Overall dim. mm 792x574x1067 h without wheels

*Wheel plate thickness

Other types of wheels: see page A52

ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	C RG DCE15 125	125	420 kg	160




ELASTIC RUBBER FIXED WHEEL	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	C RG BCE15 125	125	420 kg	160

NYLON SWIVEL WHEEL WITH BRAKE	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	C RN DAD10 100	100	255 kg	130
	C RN DAD11 125	125	420 kg	160

NYLON FIXED WHEEL	ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
	C RN BAD10 100	100	255 kg	130
	C RN BAD11 125	125	420 kg	160

LENGTH = 717 mm DEPTH = 573 mm (36x27 Eh)

CABINETS SERIES STANDARD GE

**ORD. NO.** FOR FRONT HEIGHTS**F FH 1005 10 00** 50-300

Set including:

9 Troughs	4 grooves
36 Plain partitions	36 mm
3 Troughs	3 grooves
12 Plain partitions	47 mm

ORD. NO. FOR FRONT HEIGHTS**F FH 1005 13 00** 50-300

Set including:

6 Troughs	3 grooves
18 Plain partitions	47 mm
6 Troughs	2 grooves
12 Plain partitions	73 mm

ORD. NO. FOR FRONT HEIGHTS**F FH 1005 15 00** 50-300

Set including:

5 Troughs	4 grooves
20 Plain partitions	36 mm
6 Troughs	3 grooves
20 Plain partitions	47 mm
1 Allen key tray	150x150 mm

**EXAMPLE INCLUDING:****ORD. NO.****F AG ZA01 00 01**

4 cabinets complete with drawers and retractable shelves

Dimensions mm 1435x573x1700 h

Tools and partitioning material excluded

■ RAL 7000

RAL 7000 F.01

RAL 6011 F.02


RAL 5012 F.04

RAL 7035 F.08


INFO ■■ Partitioning material: see page **A180**www.famispa.com

LENGTH = 717 mm DEPTH = 573 mm (36x27 Eh)


CABINETS SERIES STANDARD GE




ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 21 00	50-300
Set including:	
12 Troughs	4 grooves
16 Plain partitions	36 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 09 00	50
F FH 1007 09 00	75
F FH 1010 09 00	100-125
Set including:	
12 Plastic boxes	150x150 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 18 00	50
F FH 1007 18 00	75
Set including:	
16 Plastic boxes	75x75 mm
8 Plastic boxes	150x75 mm
4 Plastic boxes	150x150 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 16 00	50
F FH 1007 16 00	75
F FH 1010 16 00	100-125
Set including:	
12 Plastic boxes	150x75 mm
6 Plastic boxes	150x150 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 01 00	50
F FH 1007 01 00	75
F FH 1010 01 00	100-125
F FH 1015 01 00	150-175
F FH 1020 01 00	200-250
F FH 1030 01 00	300
Set including:	
2 Plain partitions	610 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 03 00	50
F FH 1007 03 00	75
F FH 1010 03 00	100-125
F FH 1015 03 00	150-175
F FH 1020 03 00	200-250
Set including:	
3 Slotted partitions	455 mm
8 Plain partitions	149 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 06 00	50
F FH 1007 06 00	75
F FH 1010 06 00	100-125
F FH 1015 06 00	150-175
Set including:	
5 Slotted partitions	455 mm
12 Plain partitions	98 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 1005 05 00	50
F FH 1007 05 00	75
F FH 1010 05 00	100-125
F FH 1015 05 00	150-175
F FH 1020 05 00	200-250
F FH 1030 05 00	300
Set including:	
2 Slotted partitions	455 mm
3 Plain partitions	200 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 8405 13 00	50
F FH 8407 13 00	75
F FH 8410 13 00	100-125
F FH 8415 13 00	150-175
F FH 8420 13 00	200-250
Set including:	
2 Plain partitions	455 mm

■ INFO


www.famispa.com

■ Partitioning material: see page A180

