



ORD. NO. F AG 4040 S1 08
RAL 7035



ORD. NO. F AG L434 04 2Y
RAL 3020

54 EH (906 mm)



27 EH (447 mm)

FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors \geq to classes B25/RBK250/MPa 25 N/mm²
- Recommended traction of the plug: 2.9 KN
- Plug diameter: \varnothing 6 mm

ORD. NO. F AG 9204 00 99

CABINET FLOOR FIXING SET

- Pair of spare galvanised brackets
- \varnothing 6 mm hole



ORD. NO. F AG 9200 00 99

CABINET

ORD. NO.

F AG 4040 S1 08

Complete with 6 drawers,
1 rubber cover MDF top

Dimensions mm 1023x573x1030 h

Tools and partitioning material
excluded

CABINET WITH WHEELS

ORD. NO.

F AG L434 04 2Y

Complete with 5 drawers

Dimensions mm 1098x574x1121 h

RAL 7000 F.01

RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

SUPPLEMENTARY PARTS ■



- Partitioning material: see page A113



- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00


- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00




LENGTH = 1023 mm DEPTH = 573 mm (54x27 Eh)


CABINETS SERIES STANDARD GF




ORD. NO.	TYPE
F AG 4034 01 04	A
F AG 4034 51 04	B
Cabinet with 5 drawers	
Dim. mm 1023x573x850 h Central lock	




ORD. NO.	TYPE
F AG 4034 02 04	A
F AG 4034 52 04	B
Cabinet with 6 drawers	
Dim. mm 1023x573x850 h Central lock	




ORD. NO.	TYPE
F AG 4034 03 04	A
F AG 4034 53 04	B
Cabinet with 7 drawers	
Dim. mm 1023x573x850 h Central lock	




ORD. NO.	TYPE
F AG 4040 06 04	A
F AG 4040 56 04	B
Cabinet with 7 drawers	
Dim. mm 1023x573x1000 h Central lock	




ORD. NO.	TYPE
F AG 4040 02 04	A
F AG 4040 52 04	B
Cabinet with 8 drawers	
Dim. mm 1023x573x1000 h Central lock	




ORD. NO.	TYPE
F AG 4040 03 04	A
F AG 4040 53 04	B
Cabinet with 9 drawers	
Dim. mm 1023x573x1000 h Central lock	



ORD. NO.	TYPE
F AG 4058 01 04	A
F AG 4058 51 04	B
Cabinet with 9 drawers	
Dimensions mm 1023x573x1450 h Central lock	



ORD. NO.	TYPE
F AG 4058 05 04	A
F AG 4058 55 04	B
Cabinet with 10 drawers	
Dimensions mm 1023x573x1450 h Central lock	



ORD. NO.	TYPE
F AG 4058 08 04	A
F AG 4058 58 04	B
Cabinet with 2 retractable shelves, 1 adjust. shelf	
Dimensions mm 1023x573x1450 h Without lock, with anti-tilt rod	


KEY



- TT = telescopic full extension (100%)
- PE-TT = full telescopic retractable shelf (100%)
- S = normal extension (87%)
- PE-S = normal retractable shelf (87%)
- PR = height adjustable shelf

■ The cabinets must be secured to the floor or to the wall

■ Partitioning material: see page A113



RAL 7000 F.01

RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

LENGTH = 1023 mm DEPTH = 573 mm (54x27 Eh)

CABINETS SERIES STANDARD GF



ORD. NO.	TYPE
—	
F AG S434 53 04	B
Cabinet with 4 drawers	
Cabinet load capacity: 370 kg	
Ø 125 mm elastic rubber wheels	
Dimensions mm 1098x574x1077 h	
Central lock	

ORD. NO.	TYPE
F AG S434 04 04	A
F AG S434 54 04	B
Cabinet with 5 drawers	
Cabinet load capacity: 370 kg	
Ø 125 mm elastic rubber wheels	
Dimensions mm 1098x574x1077 h	
Central lock	

ORD. NO.	TYPE
F AG S434 05 04	A
F AG S434 55 04	B
Cabinet with 6 drawers	
Cabinet load capacity: 370 kg	
Ø 125 mm elastic rubber wheels	
Dimensions mm 1098x574x1077 h	
Central lock	




ORD. NO.	TYPE
F AG S440 01 04	A
F AG S440 51 04	B
Cabinet with 6 drawers	
Cabinet load capacity: 370 kg	
Ø 125 mm elastic rubber wheels	
Dimensions mm 1098x574x1227 h	
Central lock	

ORD. NO.	TYPE
F AG S440 02 04	A
F AG S440 52 04	B
Cabinet with 7 drawers	
Cabinet load capacity: 370 kg	
Ø 125 mm elastic rubber wheels	
Dimensions mm 1098x574x1227 h	
Central lock	

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

KEY ■



■ Partitioning material: see page A113

■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.



- TT = telescopic full extension (100%)
- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights



LENGTH = 1023 mm DEPTH = 573 mm (54x27 Eh)

CABINETS SERIES STANDARD GF

CABINET WITH WHEELS**ORD. NO.****F AG L434 S1 2Y**complete with 5 drawers,
1 rubber cover MDF top**Dimensions mm 1098x574x1091 h**

Tools and partitioning material excluded



■ RAL 3020



■ RAL 7035

CABINET**ORD. NO.****F AG 4040 S2 08**

6 drawers

1 rubber cover top with 3 edges

1 plinth for transpallet

Dimensions mm 1023x573x1120 h

Tools and partitioning material excluded


■ **INFO**

RAL 7000 F.01

RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

■ Partitioning
material: see
page A180www.famispa.com

CABINETS SERIES STANDARD GF

EMPTY CABINETS

ORD. NO.	USABLE HEIGHT mm	LOAD CAPACITY kg	DIMENSIONS mm
F AG 4034 00 04	750	3100	1023x573x850 h
F AG 4040 00 04	900	3100	1023x573x1000 h
F AG 4058 00 04	1350	3100	1023x573x1450 h



SPARE LOCK

ORD. NO. R CSR 0003 00
for cabinet


■ 01 ■ 02 ■ 04 ■ 08

■ The cabinets must be secured to the floor or to the wall. If the cabinets are stacked they must be secured to the wall and their load capacity must be divided by 2. Further information for fixing set see page A106.

NORMAL EXTENSION DRAWERS (S)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 4005 00 04	50	60	906x447x36 h
F FG 4007 00 04	75	80	906x447x61 h
F FG 4010 00 04	100	100	906x447x86 h
F FG 4012 00 04	125	100	906x447x111 h

Normal extension (87%)




■ 01
■ 02
■ 04
■ 08

Partitioning material: see page A113

FULL TELESCOPIC EXTENSION DRAWERS (TT)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 4107 00 04	75	150	906x447x54 h
F FG 4110 00 04	100	150	906x447x79 h
F FG 4112 00 04	125	150	906x447x104 h
F FG 4115 00 04	150	150	906x447x129 h
F FG 4120 00 04	200	150	906x447x179 h
F FG 4125 00 04	250	150	906x447x229 h
F FG 4130 00 04	300	150	906x447x279 h

Full telescopic extension (100%)



■ 01
■ 02
■ 04
■ 08

■ Partitioning material: see page A113

NORMAL EXTENSION SHELVES (PE-S)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8040 00 04	–	100	916x457

Normal extension (87%)



■ 01
■ 02
■ 04
■ 08

FULL TELESCOPIC EXTENSION SHELVES (PE-TT)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8140 00 04	–	150	916x457

Full telescopic extension (100%)



■ 01
■ 02
■ 04
■ 08

ADJUSTABLE SHELVES

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F SR 1220 01 04	25	100	967x465

Without extension system



■ 01
■ 02
■ 04
■ 08

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

KEY ■

■ All indicated loads are net and refer to evenly distributed weights




LENGTH = 1023 mm DEPTH = 573 mm (54x27 Eh)

CABINETS SERIES STANDARD GF

CABINET TO CABINET FIXING

■ The article includes:
4 M8 nuts and bolts

ORD. NO. F AG 9202 00 99



TWO SIDED ADHESIVE TAPE

ORD. NO.

R CMV 0025 00

width 15 mm, length 50 metres



■ 07

TOP SHELF

ORD. NO.

F AG 9009 01 07

DIMENSIONS mm

1023x573x20 h

oil-resistant rubber cover top with 3 edges




■ 07

PLINTHS

ORD. NO.

F RR 0090 00 07

Plinths height 50 mm



■ 07

ZOCOLI PER TRANSPALLET

ORD. NO.

F RR 0205 00 07 Plinths height 100 mm

F RR 0415 00 07 Facing piece



■ 07


PLINTHS FOR FORK LIFT TRUCK

ORD. NO.

F RR 0200 00 07 Pair of plinths height 60 mm

F RR 0410 00 07 Facing piece

UPPER MDF TOP WITH RUBBER COVERING DIMENSIONS 1024x573x31,5 mm H




ORD. NO. F UZ 9999 00 00

Drilling of the cabinet upper shelf for the MDF top fixing.



Detail of the oil-resistant rubber



■ 07

A

ORD. NO.

F UZ 3090 11 07

MDF top with rubber covering

Side profile

For end cabinets

Oil-resistant rubber mat



■ 07

B

ORD. NO.

F UZ 3090 12 07

MDF top with rubber covering

No side profile

For additional central cabinets Oil-resist. rubber mat



■ 07

C

ORD. NO.

F UZ 3090 13 07

MDF top with rubber covering

2 side profiles

For single cabinet

Oil-resistant rubber mat

■ **INFO**

RAL 7000 F.01


RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08



www.famispa.com



CABINETS SERIES STANDARD GF

CABINETS PREPARED FOR WHEELS

Cabinets prepared for wheels including: wheel plate, 4 edged top with oil-resistant rubber, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.

- 01
- 02
- 04
- 08



- 01
- 02
- 04
- 08



■ The single drawer opening system **ORD. NO. F DD 9400 00 07** must be applied to all drawers of mobile cabinets.

ORD. NO.

F AG 0434 00 04

Overall dim. mm:
1098x574x917 h without wheels

*Wheel plate thickness

ORD. NO.

F AG 0440 00 04

Overall dim. mm:
1098x574x1067 h without wheels

*Wheel plate thickness

■ Other types of wheels see page **A52**



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
C RG DCE15 125	125	370 kg	160



ELASTIC RUBBER FIXED WHEEL

ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
C RG BCE15 125	125	370 kg	160



NYLON SWIVEL WHEEL WITH BRAKE

ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
C RN DAD11 125	125	370 kg	160




NYLON FIXED WHEEL

ORD. NO.	Ø mm	CABINET LOAD CAPACITY	C mm
C RN BAD11 125	125	370 kg	160

- RAL 7000 F.01
- RAL 6011 F.02
- RAL 5012 F.04
- RAL 7035 F.08

KEY ■




■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.


■ All indicated loads are net and refer to evenly distributed weights

LENGTH = 1023 mm DEPTH = 573 mm (54x27 Eh)


CABINETS SERIES STANDARD GF




ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 12 00	50-300
Set including:	
6 Troughs	4 grooves
15 Plain partitions	36 mm
6 Troughs	3 grooves
10 Plain partitions	47 mm
6 Troughs	2 grooves
6 Plain partitions	73 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 15 00	50-300
Set including:	
12 Troughs	4 grooves
30 Plain partitions	36 mm
6 Troughs	3 grooves
10 Plain partitions	47 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 01 00	50
F FH 4007 01 00	75
F FH 4010 01 00	100-125
F FH 4015 01 00	150-175
F FH 4020 01 00	200-250
F FH 4030 01 00	300
Set including:	
2 Plain partitions	914 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 03 00	50
F FH 4007 03 00	75
F FH 4010 03 00	100-125
F FH 4015 03 00	150-175
F FH 4020 03 00	200-250
Set including:	
5 Slotted partitions	455 mm
12 Plain partitions	149 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 04 00	50
F FH 4007 04 00	75
F FH 4010 04 00	100-125
F FH 4015 04 00	150-175
F FH 4020 04 00	200-250
Set including:	
4 Plain partitions	455 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 05 00	50
F FH 4007 05 00	75
F FH 4010 05 00	100-125
F FH 4015 05 00	150-175
F FH 4020 05 00	200-250
Set including:	
4 Slotted partitions	455 mm
2 Plain partitions	149 mm
3 Plain partitions	200 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 11 00	50
F FH 4007 11 00	75
F FH 4010 11 00	100-125
Set including:	
18 Plastic boxes	150x150 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 13 00	50
F FH 4007 13 00	75
F FH 4010 13 00	100-125
Set including:	
12 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 4005 16 00	50
F FH 4007 16 00	75
Set including:	
20 Plastic boxes	75x75 mm
14 Plastic boxes	150x75 mm
6 Plastic boxes	150x150 mm

■ INFO


www.famispa.com

■ Partitioning material: see page A180

