



ORD. NO. F AG 5040 S1 08
RAL 7035

ORD. NO. F AG L534 S1 50
RAL 7035+5012

54 EH (906 mm)

36 EH (600 mm)

FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors \geq to classes B25/RBK250/MPA 25 N/mm²
- Recommended traction of the plug: 2.9 KN
- Plug diameter: \varnothing 6 mm

ORD. NO. F AG 9204 00 99

CABINET FLOOR FIXING SET

- Pair of spare galvanised brackets
- \varnothing 6 mm hole



ORD. NO. F AG 9200 00 99

CABINET

ORD. NO.

F AG 5040 S1 08

Complete with 6 drawers,
1 rubber cover top with 3 edges

Dimensions mm 1023x726x1020 h

Tools and partitioning material
excluded

CABINET WITH WHEELS

ORD. NO.

F AG L534 S1 50

Complete with 5 drawers,
1 multiplex worktop 40 mm thickness

Dimensions mm 1098x750x1101 h


RAL 7000 F.01

RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

SUPPLEMENTARY PARTS ■



- Partitioning material: see page A113



- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00

- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00



LENGTH = 1023 mm DEPTH = 726 mm (54x36 Eh)

CABINETS SERIES STANDARD GB



- | A | B |
|--------|--------|
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |

ORD. NO.	TYPE
F AG 5034 04 04	A
F AG 5034 54 04	B
Cabinet with 5 drawers	
Dimensions mm 1023x726x850 h	
Central lock	



- | A | B |
|--------|--------|
| 100-S | 100-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 300-TT | 300-TT |

ORD. NO.	TYPE
F AG 5034 07 04	A
F AG 5034 57 04	B
Cabinet with 5 drawers	
Dimensions mm 1023x726x850 h	
Central lock	




- | A | B |
|--------|--------|
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 250-TT | 250-TT |

ORD. NO.	TYPE
F AG 5034 08 04	A
F AG 5034 58 04	B
Cabinet with 6 drawers	
Dimensions mm 1023x726x850 h	
Central lock	




- | A | B |
|--------|--------|
| 50-S | 50-S |
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |

ORD. NO.	TYPE
F AG 5034 09 04	A
F AG 5034 59 04	B
Cabinet with 7 drawers	
Dimensions mm 1023x726x850 h	
Central lock	



- | A | B |
|--------|--------|
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |

ORD. NO.	TYPE
F AG 5040 11 04	A
F AG 5040 61 04	B
Cabinet with 7 drawers	
Dimensions mm 1023x726x1000 h	
Central lock	



- | A | B |
|--------|--------|
| 75-S | 75-TT |
| 75-S | 75-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 100-S | 100-TT |
| 150-TT | 150-TT |
| 200-TT | 200-TT |

ORD. NO.	TYPE
F AG 5040 05 04	A
F AG 5040 02 04	B
Cabinet with 8 drawers	
Dimensions mm 1023x726x1000 h	
Central lock	

KEY





- TT = telescopic full extension (100%)
- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

■ Partitioning material: see page A113



CABINETS SERIES STANDARD GB



ORD. NO.	TYPE
F AG 5040 08 04	A
F AG 5040 58 04	B
Cabinet with 8 drawers	
Dimensions mm 1023x726x1000 h	
Central lock	


ORD. NO.	TYPE
F AG 5040 12 04	A
F AG 5040 62 04	B
Cabinet with 9 drawers	
Dimensions mm 1023x726x1000 h	
Central lock	



ORD. NO.	TYPE
F AG 5040 15 04	A
F AG 5040 65 04	B
Cabinet with 2 retractable shelves	
Dimensions mm 1023x726x1000 h	
Without lock, with anti-tilt rod	



ORD. NO.	TYPE
F AG 5053 04 04	A
F AG 5053 01 04	B
Cabinet with 9 drawers	
Dimensions mm 1023x726x1325 h	
Central lock	





ORD. NO.	TYPE
F AG 5058 07 04	A
F AG 5058 57 04	B
Cabinet with 9 drawers	
Dimensions mm 1023x726x1450 h	
Central lock	

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

KEY ■

- TT = telescopic full extension (100%)
- PE-TT = full telescopic retractable shelf (100%)
- S = normal extension (87%)
- PE-S = normal retractable shelf (87%)
- The cabinets must be secured to the floor or to the wall



■ Partitioning material: see page A113

LENGTH = 1023 mm DEPTH = 726 mm (54x36 Eh)

CABINETS SERIES STANDARD GB



ORD. NO.	TYPE
F AG L534 02 04	A
F AG L534 52 04	B
Cabinet with 5 drawers	
Cabinet load capacity: 600 kg	
Ø 160 mm elastic rubber wheels	
Dimensions mm 1098x727x1121 h	
Central lock	



ORD. NO.	TYPE
F AG L534 05 04	A
F AG L534 55 04	B
Cabinet with 6 drawers	
Cabinet load capacity: 600 kg	
Ø 160 mm elastic rubber wheels	
Dimensions mm 1098x727x1271 h	
Central lock	



ORD. NO.	TYPE
F AG L540 01 04	A
F AG L540 51 04	B
Cabinet with 6 drawers	
Cabinet load capacity: 600 kg	
Ø 160 mm elastic rubber wheels	
Dimensions mm 1098x727x1271 h	
Central lock	



ORD. NO.	TYPE
F AG L540 02 04	A
F AG L540 52 04	B
Cabinet with 7 drawers	
Cabinet load capacity: 600 kg	
Ø 160 mm elastic rubber wheels	
Dimensions mm 1098x727x1271 h	
Central lock	



■ RAL 7035 +
■ RAL 5012

CABINET WITH WHEELS

ORD. NO.

F AG L534 S2 50

complete with 5 drawers,
1 multiplex worktop 40 mm thickness,
1 multi-purpose back panel with containers and 2x18W lamp

Dim. mm 1098x750x1041/2068 h Tools and partitioning material excluded

KEY

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08



- TT = telescopic full extension (100%)
- S = normal extension (87%)
- All indicated loads are net and refer to evenly distributed weights



■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.

■ Partitioning material: see page A113



CABINETS SERIES STANDARD GB

EMPTY CABINETS

ORD. NO.	USABLE HEIGHT mm	LOAD CAPACITY kg	DIMENSIONS mm
F AG 5034 00 04	750	3100	1023x726x850 h
F AG 5040 00 04	900	3100	1023x726x1000 h
F AG 5053 00 04	1225	3100	1023x726x1325 h
F AG 5058 00 04	1350	3100	1023x726x1450 h



SPARE LOCK
ORD. NO. R CSR 0003 00
for cabinet


■ 01 ■ 02 ■ 04 ■ 08

■ The cabinets must be secured to the floor or to the wall. If the cabinets are stacked they must be secured to the wall and their load capacity must be divided by 2. Further information for fixing set see page A114.

NORMAL EXTENSION DRAWERS (S)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 5005 00 04	50	60	906x600x36 h
F FG 5007 00 04	75	80	906x600x61 h
F FG 5010 00 04	100	100	906x600x86 h
F FG 5012 00 04	125	100	906x600x111 h

Normal extension (87%)




■ 01
■ 02
■ 04
■ 08

■ Partitioning material: see page A121

FULL TELESCOPIC EXTENSION DRAWERS (TT)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 5107 00 04	75	150	906x600x54 h
F FG 5110 00 04	100	150	906x600x79 h
F FG 5112 00 04	125	150	906x600x104 h
F FG 5115 00 04	150	150	906x600x129 h
F FG 5117 00 04	175	150	906x600x154 h
F FG 5120 00 04	200	150	906x600x179 h
F FG 5125 00 04	250	150	906x600x229 h
F FG 5130 00 04	300	150	906x600x279 h

Full telescopic extension (100%)



■ 01
■ 02
■ 04
■ 08

■ Partitioning material: see page A121

NORMAL EXTENSION SHELVES (PE-S)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8050 00 04	–	100	916x610

Normal extension (87%)




■ 01
■ 02
■ 04
■ 08

FULL TELESCOPIC EXTENSION SHELVES (PE-TT)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8150 00 04	–	150	916x610

Full telescopic extension (100%)




■ 01
■ 02
■ 04
■ 08

ADJUSTABLE SHELVES

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F SR 1270 01 04	25	100	967x618

Without extension system



■ 01
■ 02
■ 04
■ 08

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

KEY ■

■ All indicated loads are net and refer to evenly distributed weights




LENGTH = 1023 mm DEPTH = 726 mm (54x36 Eh)

CABINETS SERIES STANDARD GB

CABINET TO CABINET FIXING

■ The article includes:
4 M8 nuts and bolts

ORD. NO. F AG 9202 00 99




TWO SIDED ADHESIVE TAPE

ORD. NO.

R CMV 0025 00

width 15 mm, length 50 metres



TOP SHELF

ORD. NO.

F AG 9012 01 07

DIMENSIONS mm

1023x726x20 h

oil-resistant rubber cover top with 3 edges




■ 07

PLINTHS

ORD. NO.

F RR 0095 00 07

Plinths height 50 mm



■ 07

PLINTHS FOR TRANSPALLET

ORD. NO.

F RR 0235 00 07 Plinths height 100 mm

F RR 0415 00 07 Facing piece



■ 07


PLINTHS FOR FORK LIFT TRUCK

ORD. NO.

F RR 0230 00 07 Pair of plinths height 60 mm

F RR 0410 00 07 Facing piece

UPPER MDF TOP WITH RUBBER COVERING DIMENSIONS 1024x726x31,5 mm H




ORD. NO. F UZ 9999 00 00

Drilling of the cabinet upper shelf for the MDF top fixing.



Detail of the oil-resistant rubber



■ 07

A

ORD. NO.

F UZ 3240 11 07

MDF top with rubber covering

Side profile

For end cabinets

Oil-resistant rubber mat



■ 07

B

ORD. NO.

F UZ 3240 12 07

MDF top with rubber covering

No side profile

For additional central cabinets Oil-resist. rubber mat



■ 07

C

ORD. NO.

F UZ 3240 13 07

MDF top with rubber covering

2 side profiles

For single cabinet

Oil-resistant rubber mat

■ **INFO**

RAL 7000 F.01


RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08



www.famispa.com




LENGTH = 1023 mm DEPTH = 726 mm (54x36 Eh)

CABINETS SERIES STANDARD GB

CABINETS PREPARED FOR WHEELS

Cabinets prepared for wheels including: wheel plate, 4 edged top with oil-resistant rubber, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.



■ The single drawer opening system **ORD. NO. F DD 9400 00 07** must be applied to all drawers of mobile cabinets.

ORD. NO.

F AG 0534 00 04


Overall dim. mm:
1098x727x917 h senza ruote
*Wheel plate thickness

ORD. NO.


F AG 0540 00 04


Overall dim. mm:
1098x727x1067 h senza ruote
*Wheel plate thickness

■ Other types of wheels see page A52

 **ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE**
ORD. NO. _____ Ø mm CABINET LOAD CAPACITY C mm
C RG DCE15 160 160 600 kg 204

 **ELASTIC RUBBER FIXED WHEEL**
ORD. NO. _____ Ø mm CABINET LOAD CAPACITY C mm
C RG BCE15 160 160 600 kg 204

 **NYLON SWIVEL WHEEL WITH BRAKE**
ORD. NO. _____ Ø mm CABINET LOAD CAPACITY C mm
C RN DAD04 160 160 600 kg 204

 **NYLON FIXED WHEEL**
ORD. NO. _____ Ø mm CABINET LOAD CAPACITY C mm
C RN BAD04 160 160 600 kg 204

EXAMPLE INCLUDING:

ORD. NO.

F AG 5053 58 50

2 retractable shelves

Dimensions mm 1023x726x1325 h

Polypropylene stacking containers excluded



■ RAL 7035 +
■ RAL 5012

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

KEY ■



■ Partitioning material: see page A180

■ The handles can be fitted towards the bottom thereby reducing the height by 38 mm.




■ All indicated loads are net and refer to evenly distributed weights




LENGTH = 1023 mm DEPTH = 726 mm (54x36 Eh)


CABINETS SERIES STANDARD GB




ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 19 00	50-300
Set including:	
16 Troughs	4 grooves
30 Plain partitions	36 mm
8 Troughs	3 grooves
10 Plain partitions	47 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 09 00	50-300
Set including:	
8 Troughs	4 grooves
15 Plain partitions	36 mm
8 Troughs	3 grooves
10 Plain partitions	47 mm
8 Troughs	2 grooves
6 Plain partitions	73 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 05 00	50
F FH 5007 05 00	75
F FH 5010 05 00	100-125
Set including:	
5 Plain partitions	610 mm
4 Plastic boxes	150x75 mm
2 Plastic boxes	150x150 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 07 00	50
F FH 5007 07 00	75
F FH 5010 07 00	100-125
F FH 5015 07 00	150-175
F FH 5020 07 00	200-250
F FH 5030 07 00	300
Set including:	
4 Slotted partitions	610 mm
2 Plain partitions	149 mm
3 Plain partitions	200 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 13 00	50
F FH 5007 13 00	75
F FH 5010 13 00	100-125
F FH 5015 13 00	150-175
F FH 5020 13 00	200-250
F FH 5030 13 00	300
Set including:	
5 Slotted partitions	610 mm
12 Plain partitions	149 mm




ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 14 00	50
F FH 5007 14 00	75
F FH 5010 14 00	100-125
Set including:	
6 Slotted partitions	610 mm
6 Plain partitions	98 mm
3 Plain partitions	149 mm
1 Plain partition	200 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 08 00	50
F FH 5007 08 00	75
F FH 5010 08 00	100-125
Set including:	
12 Plastic boxes	150x75 mm
18 Plastic boxes	150x150 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 17 00	50
F FH 5007 17 00	75
Set including:	
20 Plastic boxes	75x75 mm
14 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm



ORD. NO.	FOR FRONT HEIGHTS
F FH 5005 18 00	50
F FH 5007 18 00	75
F FH 5010 18 00	100-125
Set including:	
24 Plastic boxes	150x150 mm

■ INFO


www.famispa.com

■ Partitioning material: see page A180

