


CABINETS SERIES STANDARD F27

LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)



ORD. NO. F AF 1040 15 08
RAL 7035

ORD. NO. F AE 1040 14 50
RAL 7035+5012

FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors \geq to classes B25/RBK250/MPa 25 N/mm²
- Recommended traction of the plug: 2.9 KN
- Plug diameter: \varnothing 6 mm

ORD. NO. F AG 9204 00 99

CABINET FLOOR FIXING SET

- Pair of spare galvanised brackets
- \varnothing 6 mm hole



ORD. NO. F AG 9200 00 99

CABINET WITH SLIDING DOORS

ORD. NO.

F AF 1040 15 08

Complete with 4 drawers

2 retract. shelves, 2 tool holder frames

Dimensions mm 1431x632x1000 h

Tools and tool holders excluded

CABINET WITH LEAF DOORS

ORD. NO.

F AE 1040 14 50

Complete with

2 drawers, 2 retractable shelves

Dimensions mm 717x597x1000 h

Tools excluded

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08

SUPPLEMENTARY PARTS ■

- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00


- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00



LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)


CABINETS SERIES STANDARD F27




ORD. NO.	DRAWERS
F AE 1040 01 04	4
Cabinet with 4 drawers	
Dimensions mm 717x597x1000 h	
Central lock	



ORD. NO.	DRAWERS
F AE 1040 10 04	3
Cabinet with 3 drawers	
2 retractable shelves	
Dim. mm 717x597x1000 h	
Central lock	



ORD. NO.	DRAWERS
F AE 1040 11 04	5
Cabinet with 5 drawers	
1 retractable shelf	
Dim. mm 717x597x1000 h	
Central lock	




ORD. NO.	DRAWERS
F AE 1040 12 04	5
Cabinet with 5 drawers	
1 retractable shelf	
Dim. mm 717x597x1000 h	
Central lock	




ORD. NO.	DRAWERS
F AE 1040 13 04	4
Cabinet with 4 drawers	
Dimensions mm 717x597x1000 h	
Central lock	



ORD. NO.	DRAWERS
F AE 1040 14 04	2
Cabinet with 2 drawers	
2 retractable shelves	
Dim. mm 717x597x1000 h	
Central lock	



ORD. NO.	DRAWERS
F AE 1040 15 04	2
Cabinet with 2 drawers	
1 retractable shelf, 1 adjustable shelf	
Dim. mm 717x597x1000 h	
Central lock	



ORD. NO.	DRAWERS
F AE 2040 01 04	2
Cabinet with 2 drawers	
1 retractable shelf	
Dimensions mm 717x597x1000 h	



ORD. NO.	DRAWERS
F AE 2040 03 04	4
Cabinet with 4 drawers	
1 retractable shelf	
Dimensions mm 717x597x1000 h	


KEY

- RAL 7000 F.01
- RAL 6011 F.02
- RAL 5012 F.04
- RAL 7035 F.08




- TT = telescopic full extension (100%)
- PE-TT = full telescopic retractable shelf (100%)
- S = normal extension (87%)
- PR = height adjustable shelf

The cabinets must be secured to the floor or to the wall



CABINETS SERIES STANDARD F27



ORD. NO.	DRAWERS
F AE 2040 05 04	2
Cabinet with 2 drawers	
2 retractable shelves	
Dimensions mm 717x597x1000 h	



ORD. NO.	DRAWERS
F AE 2040 06 04	3
Cabinet with 3 drawers	
2 retractable shelves	
Dimensions mm 717x597x1000 h	



ORD. NO.	DRAWERS
F AE 2040 07 04	4
Cabinet with 4 drawers	
Dimensions mm 717x597x1000 h	




ORD. NO.	DRAWERS
F AE 2040 10 04	2
Cabinet with 2 drawers	
1 retractable shelf	
Dimensions mm 717x597x1000 h	



ORD. NO.	DRAWERS
F AE 2040 04 04	1
Cabinet with 1 drawers	
2 retractable shelves	
Dimensions mm 717x597x1000 h	



ORD. NO.	DRAWERS
F AE 2040 11 04	3
Cabinet with 3 drawers	
1 retractable shelf	
Dimensions mm 717x597x1000 h	



ORD. NO.	DRAWERS
F AE 2040 12 04	5
Cabinet with 5 drawers	
Dimensions mm 717x597x1000 h	




ORD. NO.	SHELVES
F AE 2040 13 04	2
Cabinet with 2 retract. shelves, 1 adjustable shelf	
Dimensions mm 717x597x1000 h	

- RAL 7000 F.01
- RAL 6011 F.02
- RAL 5012 F.04
- RAL 7035 F.08

KEY ■

■ The cabinets must be secured to the floor or to the wall

- TT = telescopic full extension (100%)
- PE-TT = full telescopic retractable shelf (100%)
- S = normal extension (87%)
- PE-S = normal retractable shelf (87%)
- PR = height adjustable shelf



LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

CABINETS SERIES STANDARD F27



RAL 7035

CABINET WITH SLIDING DOORS**ORD. NO.****F AF 1040 S1 08**

complete with 4 drawers, 2 retractable shelves,
2 tool holder frames,
1 rubber cover top with 3 edges

Dimensions mm 1431x632x1020 h

Tools and tool holders excluded



RAL 7000

CABINET WITH LEAF DOORS**ORD. NO.****F AE 2040 S1 01**

complete with 4 drawers, 2 tool holder frames,
1 rubber cover top with 3 edges

Dimensions mm 717x597x1020 h

Tools, tool holders and partitioning material excluded

KEY

RAL 7000 F.01


RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

■ Partitioning material: see page **A180**

■ The cabinets must be secured to the floor or to the wall



CABINETS SERIES STANDARD F27



•ORD. NO. DRAWERS
F AF 1040 06 04 2
 Cabinet with 2 drawers, 6 retractable shelves
 Dimensions mm 1431x632x1000 h



•ORD. NO. DRAWERS
F AF 1040 01 04 4
 Cabinet with 4 drawers, 2 retractable shelves
 Dimensions mm 1431x632x1000 h



•ORD. NO. DRAWERS
F AF 1040 02 04 6
 Cabinet with 6 drawers, 2 retractable shelves
 Dimensions mm 1431x632x1000 h



•ORD. NO. DRAWERS
F AF 1040 04 04 4
 Cabinet with 4 drawers, 4 retractable shelves
 Dimensions mm 1431x632x1000 h





•ORD. NO. DRAWERS
F AF 1040 13 04 8
 Cabinet with 8 drawers, 2 retractable shelves
 Dimensions mm 1431x632x1000 h



•ORD. NO. DRAWERS
F AF 1040 09 04 10
 Cabinet with 10 drawers
 Dimensions mm 1431x632x1000 h

RAL 7000 F.01 RAL 6011 F.02 RAL 5012 F.04 RAL 7035 F.08



KEY ■

- TT = telescopic full extension (100%)
- PE-TT = full telescopic retractable shelf (100%)
- S = normal extension (87%)



■ The cabinets must be secured to the floor or to the wall

LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)


CABINETS SERIES STANDARD F27



ORD. NO.	DRAWERS
F AF 1040 10 04	4
Cabinet with 4 drawers, 2 retractable shelves	
Dimensions mm 1431x632x1000 h	



ORD. NO.	SHELVES
F AF 1040 14 04	6
Cabinet with 4 retractable shelves, 2 adjustable shelves	
Dimensions mm 1431x632x1000 h	



KEY



- TT = telescopic full extension (100%)
- PE-TT = full telescopic retractable shelf (100%)
- S = normal extension (87%)
- PR = height adjustable shelf


RAL 7000 F.01

RAL 6011 F.02

RAL 5012 F.04

RAL 7035 F.08

■ The cabinets must be secured to the floor or to the wall



CABINETS SERIES STANDARD F27

EMPTY CABINET (FB102)



■ 01
■ 02
■ 04
■ 08

ORD. NO. LOAD CAPACITY kg

F AE 1040 00 04 3000

Dimensions mm 717x597x1000 h

Usable height mm 150+725

Cabinet including 2 cylinder locks and 4 keys

ORD. NO.

R CSR 0003 00

Spare lock (for cabinet)

R CSR 0008 00

Spare lock (for door)

R XAE 0001 99

Pair of spare rod (for door)

EMPTY CABINET (FB100)



■ 01
■ 02
■ 04
■ 08

ORD. NO. LOAD CAPACITY kg

F AE 2040 00 04 3000

Dimensions mm 717x597x1000 h

Usable height mm 875

Cabinet including cylinder lock and 2 keys

ORD. NO.


R CSR 0008 00

Spare lock (for door)

R XAE 0002 99

Pair of spare rod (for door)

EMPTY CABINET (FD100)



■ 01
■ 02
■ 04
■ 08

ORD. NO. LOAD CAPACITY kg

F AF 1040 00 04 1500+1500

Dimensions mm 1431x632x1000 h

Usable height mm 875

Cabinet including cylinder lock and 2 keys

ORD. NO.

R CSR 0012 00

Spare lock (for door)


■ Spare key see page A150

■ The cabinet must be secured to the floor or to the wall. Further information for fixing set see page A150.

NORMAL EXTENSION DRAWERS (S)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 1005 00 04	50	60	600x447x36 h
F FG 1007 00 04	75	80	600x447x61 h
F FG 1010 00 04	100	100	600x447x86 h
F FG 1012 00 04	125	100	600x447x111 h

Normale extension (87%)




■ 01
■ 02
■ 04
■ 08

■ Partitioning material: see page A80-A81

FULL TELESCOPIC EXTENSION DRAWERS (TT)

ORD. NO.	FRONT HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 1107 00 04	75	200	600x447x54 h
F FG 1110 00 04	100	200	600x447x79 h
F FG 1112 00 04	125	200	600x447x104 h
F FG 1115 00 04	150	200	600x447x129 h
F FG 1120 00 04	200	200	600x447x179 h
F FG 1125 00 04	250	200	600x447x229 h
F FG 1130 00 04	300	200	600x447x279 h

Full telescopic extension (100%)



■ 01
■ 02
■ 04
■ 08

■ Partitioning material: see page A80-A81

NORMAL EXTENSION SHELVES (PE-S)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8010 00 04	-	100	610x459

Normale extension (87%)




■ 01
■ 02
■ 04
■ 08

FULL TELESCOPIC EXTENSION SHELVES (PE-TT)

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F FG 8110 00 04	-	200	610x459

Full telescopic extension (100%)




■ 01
■ 02
■ 04
■ 08

ADJUSTABLE SHELVES

ORD. NO.	SIDE HEIGHT mm	LOAD CAPACITY kg	USABLE DIMENSIONS mm
F SR 1210 01 04	25	150	655x460

Without extension system



■ 01
■ 02
■ 04
■ 08


LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

CABINETS SERIES STANDARD F27

CABINET TO CABINET FIXING

■ The article includes: 4 M8 nuts and bolts. Suitable for fixing same series cabinets only.

ORD. NO. F AG 9202 00 99



TWO SIDED ADHESIVE TAPE

ORD. NO.

R CMV 0025 00

width 15 mm
length 50 metres



■ 07


PLINTHS

For cabinet F AE 1040 - F AE 2040

ORD. NO.

F RR 0060 00 07

Plinths height 50 mm



■ 07


PLINTHS

For cabinet F AF 1040

ORD. NO.

F RR 0110 00 07

Plinths height 50 mm



■ 07


PLINTHS FOR TRANSPALLET

For cabinet F AE 1040 - F AE 2040

ORD. NO.

F RR 0305 00 07 Plinths height 100 mm

F RR 0405 00 07 Facing piece



■ 07

PLINTHS FOR TRANSPALLET

For cabinet F AF 1040


ORD. NO.

F RR 0225 00 07

Pair of plinths height 100 mm

F RR 0445 00 07

Facing piece



■ 07

PLINTHS FOR FORK LIFT TRUCK

For cabinet F AE 1040 - F AE 2040

ORD. NO.

F RR 0210 00 07

Pair of plinths height 60 mm

F RR 0400 00 07

Facing piece



■ 07

PLINTHS FOR FORK LIFT TRUCK

For cabinet F AF 1040


ORD. NO.

F RR 0220 00 07

Pair of plinths height 60 mm

F RR 0440 00 07

Facing piece



■ 07

TOP SHELF

For cabinet F AE 1040


ORD. NO.

DIMENSIONS mm

F AG 9000 01 07

717x573x20 h

oil-resistant rubber cover top with 3 edges



■ 07

TOP SHELF

For cabinet F AE 2040

ORD. NO.

DIMENSIONS mm

F AE 9003 01 07

717x597x20 h

oil-resistant rubber cover top with 3 edges



■ 07

TOP SHELF

For cabinet F AF 1040

ORD. NO.

DIMENSIONS mm

F AF 9000 01 07

1431x630x20 h

oil-resistant rubber cover top with 3 edges

■ INFO



www.famispaspa.com

