

H 2000 mm



● ART. F AB 5300 02 04

H 1000 mm



● ART. F AB 5100 02 04

METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys



CONFIGURE YOUR CABINET FROM PAGE 437

- THE TOP SHELF CAPACITY IS 80 kg
- THE CABINET CAPACITY IS 600/800 kg
(SEE PAGE 437)

KEY



DRAWER
CAPACITY



DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 1000 mm



ART.		kg			ART.
------	--	----	--	--	------

● **F AB 5100 02 04** - - key

1 adjustable shelf ART. F AC 2650 01 99 - load capacity 100 kg
Without centre support

H 1200 mm



ART.		kg			ART.
------	--	----	--	--	------

● **F AB 5200 53 04** - - key

2 adjustable shelves ART. F AC 2650 01 99 - load capacity 100 kg
Without centre support 6 blue containers PICKING BOX mes.
3 art. FAX PB C003 B0 51 04

CABINET WITHOUT CONTAINERS ART. **F AB 5200 03 04**

H 2000 mm



ART.		kg			ART.
------	--	----	--	--	------

● **F AB 5302 52 04** - - key

8 adjustable shelves ART. F AC 2250 01 99 - load capacity 150 kg
1 centre support
9 blue containers PICKING BOX mes. 3 art. FAX PB C003 B0 51 04

CABINET WITHOUT CONTAINERS ART. **F AB 5302 02 04**

H 2000 mm



ART.		kg			ART.
------	--	----	--	--	------

● **F AB 5300 02 04** - - key

4 adjustable shelves ART. F AC 2650 01 99 - load capacity 100 kg
Without centre support

CONFIGURE YOUR CABINET

METAL COLOURS 



H 1000 mm



ART.		cabinet capacity	
F AB 5100 00 04		600 kg	key

Empty cabinet with doors without centre support
Internal dimensions per compartment mm 1470x370x850 H

H 1200 mm



ART.		cabinet capacity	
F AB 5200 00 04		600 kg	key

Empty cabinet with doors without centre support
Internal dimensions per compartment mm 1470x370x1050 H

H 2000 mm



ART.		cabinet capacity	
F AB 5300 00 04		800 kg	key

Empty cabinet with doors without centre support
Internal dimensions per compartment mm 1470x370x1850 H

H 2000 mm



ART.		cabinet capacity	
F AB 5302 00 04		800 kg	key

Empty cabinet with polycarbonate doors without centre support
Internal dimensions per compartment mm 1470x370x1850 H



ALL THE CABINETS ARE SUPPLIED AS STANDARD WITH 2 FLOOR FIXING BRACKETS AND 2 WALL FIXING BRACKETS



3-EDGE TOP SHELF

ART.	dim. mm	
F AC 4350 01 07	1500x450x20 H	

Pvc coated shelf. Colour Black
FOR CABINET F AB 5100 / 5200



MDF TOP SHELF DIM.1500x450x31,5 mm H

ART.	finishes	for cabinet
F UZ 3030 11 07	1 side profile	RH or LH final

MDF shelf with oil-proof top rubber coating. Colour black



MDF TOP SHELF DIM.1500x450x31,5 mm H

ART.	finishes	for cabinet
F UZ 3030 12 07	-	central

MDF shelf with oil-proof top rubber coating. Colour black



**OIL-PROOF
RUBBER
FINISHING**



MDF TOP SHELF DIM. 1500x450x31,5 mm H

ART.	finishes	for cabinet
F UZ 3030 13 07	2 side profiles	single

MDF shelf with oil-proof top rubber coating. Colour black



**MDF SHELF
APPLICATION**



ART. F UZ 9998 00 00
DRILLING OF THE CABINET UPPER
SHELF FOR THE MDF TOP FIXING
INCLUDING FIXING SCREWS

ADJUSTABLE SHELF, DEPTH 370 mm

ART.	dim. mm	capacity shelf
F AC 2650 01 99	1470x370x35 H	100 kg

Galvanised finish
Including 4 hooks

Suitable for containers PICKING BOX/STORAGE BOX:



mes. 3
mes. 3A2



mes. 272-3A2



CONTAINERS
SEE PAGE
1074 (PICKING BOX) -
1088 (STORAGE BOX)

ADJUSTABLE SHELF, DEPTH 370 mm

ART.	dim. mm	capacity shelf
F AC 2250 01 99	722x370x35 H	150 kg

Galvanised finish
Including 4 hooks

Suitable for containers PICKING BOX/STORAGE BOX:



mes. 3
mes. 3A2



mes. 272-3A2



CONTAINERS
SEE PAGE
1074 (PICKING BOX) -
1088 (STORAGE BOX)

CENTRE SUPPORT FOR CABINETS

ART.		for cabinet mm
F AC 3100 00 99	A	450x1000 H
F AC 3200 00 99	B	450x1200 H
F AC 3300 00 99	C	450x2000 H

The centre support cannot be ordered separately from the cabinet.

The capacity of each compartment will be half the capacity of the cabinet.

FIXING

CABINET-TO-CABINET FIXING SET

ART. F AG 9202 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

ART. F UZ 9995 00 00

Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET



ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99

2 "HILTI" stud anchors suitable for non-cracked concrete floors \geq class C20/25

Recommended anchor strength: 2.9 KN

Anchor diameter: \varnothing 6 mm



THE CABINETS MUST BE SECURED TO THE FLOOR OR TO THE WALL

OVERLAPPING CABINETS:

- F AB 5100 + F AB 5100
- F AB 5100 + F AB 5200
- F AB 5200 + F AB 5200
- F AB 5300 + F AB 5100
- F AB 5300 + F AB 5200

MUST BE FIXED TO THE WALL AND THEIR LOAD CAPACITY MUST BE DIVIDED BY 2.

