

STANDARD SPAN BAY WITH CROSS PIECE

		←→ 1000 mm		←→ 1300 mm	
	ART.	depth		ART.	depth
PAINTED	F ST A250 30 _ _	300 mm		F ST F250 30 _ _	300 mm
	F ST A250 40 _ _	400 mm		F ST F250 40 _ _	400 mm
	F ST A250 50 _ _	500 mm		F ST F250 50 _ _	500 mm
	F ST A250 60 _ _	600 mm		F ST F250 60 _ _	600 mm
	F ST A250 80 _ _	800 mm		F ST F250 80 _ _	800 mm
GALVANISED	F ST A250 30 99	300 mm		F ST F250 30 99	300 mm
	F ST A250 40 99	400 mm		F ST F250 40 99	400 mm
	F ST A250 50 99	500 mm		F ST F250 50 99	500 mm
	F ST A250 60 99	600 mm		F ST F250 60 99	600 mm
	F ST A250 80 99	800 mm		F ST F250 80 99	800 mm



ADDED BAY

		←→ 1000 mm		←→ 1300 mm	
	ART.	depth		ART.	depth
PAINTED	F ST B250 30 _ _	300 mm		F ST G250 30 _ _	300 mm
	F ST B250 40 _ _	400 mm		F ST G250 40 _ _	400 mm
	F ST B250 50 _ _	500 mm		F ST G250 50 _ _	500 mm
	F ST B250 60 _ _	600 mm		F ST G250 60 _ _	600 mm
	F ST B250 80 _ _	800 mm		F ST G250 80 _ _	800 mm
GALVANISED	F ST B250 30 99	300 mm		F ST G250 30 99	300 mm
	F ST B250 40 99	400 mm		F ST G250 40 99	400 mm
	F ST B250 50 99	500 mm		F ST G250 50 99	500 mm
	F ST B250 60 99	600 mm		F ST G250 60 99	600 mm
	F ST B250 80 99	800 mm		F ST G250 80 99	800 mm




ADDED SPAN BAY WITH CROSS PIECE

		←→ 1000 mm		←→ 1300 mm	
	ART.	depth		ART.	depth
PAINTED	F ST C250 50 _ _	500 mm		F ST H250 50 _ _	500 mm
	F ST C250 60 _ _	600 mm		F ST H250 60 _ _	600 mm
	F ST C250 80 _ _	800 mm		F ST H250 80 _ _	800 mm
GALVANISED	F ST C250 50 99	500 mm		F ST H250 50 99	500 mm
	F ST C250 60 99	600 mm		F ST H250 60 99	600 mm
	F ST C250 80 99	800 mm		F ST H250 80 99	800 mm



METAL COLOURS 



RAL 5012 +
GALVANISED
.54









RAL 7035 +
GALVANISED
.55







STANDARD BAY WITH REAR WALL

↔ 1000 mm






↔ 1300 mm




PAINTED

ART.		depth
 F ST D250 30 _ _		300 mm
 F ST D250 40 _ _		400 mm
 F ST D250 50 _ _		500 mm
 F ST D250 60 _ _		600 mm
 F ST D250 80 _ _		800 mm

ART.		depth
 F ST L250 30 _ _		300 mm
 F ST L250 40 _ _		400 mm
 F ST L250 50 _ _		500 mm
 F ST L250 60 _ _		600 mm
 F ST L250 80 _ _		800 mm

GALVANISED

 F ST D250 30 99		300 mm
 F ST D250 40 99		400 mm
 F ST D250 50 99		500 mm
 F ST D250 60 99		600 mm
 F ST D250 80 99		800 mm

 F ST L250 30 99		300 mm
 F ST L250 40 99		400 mm
 F ST L250 50 99		500 mm
 F ST L250 60 99		600 mm
 F ST L250 80 99		800 mm















ADDED BAY WITH REAR WALL

↔ 1000 mm






↔ 1300 mm




PAINTED

ART.		depth
 F ST E250 30 _ _		300 mm
 F ST E250 40 _ _		400 mm
 F ST E250 50 _ _		500 mm
 F ST E250 60 _ _		600 mm
 F ST E250 80 _ _		800 mm

ART.		depth
 F ST M250 30 _ _		300 mm
 F ST M250 40 _ _		400 mm
 F ST M250 50 _ _		500 mm
 F ST M250 60 _ _		600 mm
 F ST M250 80 _ _		800 mm

GALVANISED

 F ST E250 30 99		300 mm
 F ST E250 40 99		400 mm
 F ST E250 50 99		500 mm
 F ST E250 60 99		600 mm
 F ST E250 80 99		800 mm

 F ST M250 30 99		300 mm
 F ST M250 40 99		400 mm
 F ST M250 50 99		500 mm
 F ST M250 60 99		600 mm
 F ST M250 80 99		800 mm



SPAN WIDTH 1000 mm

Each span bay comes complete with 5 shelves. For 300 mm depths, shelves without stiffeners are supplied with a capacity of 120 kg. For 400/500/600/800 mm depths, shelves complete with stiffeners are supplied with a capacity of 300 kg.

SPAN WIDTH 1300 mm

Each span bay comes complete with 5 shelves. For 300 mm depths, shelves without stiffeners are supplied with a capacity of 100 kg. For 400/500/600/800 mm depths, shelves complete with stiffeners are supplied with a capacity of 230 kg.

STANDARD SPAN BAY WITH CROSS PIECE

←→ 1000 mm

PAINTED

ART.	depth
F ST A251 30 __	300+300 mm
F ST A251 40 __	400+400 mm
F ST A251 50 __	500+500 mm
F ST A251 60 __	600+600 mm
F ST A251 80 __	800+800 mm

GALVANISED

F ST A251 30 99	300+300 mm
F ST A251 40 99	400+400 mm
F ST A251 50 99	500+500 mm
F ST A251 60 99	600+600 mm
F ST A251 80 99	800+800 mm

←→ 1300 mm

ART.	depth
F ST F251 30 __	300+300 mm
F ST F251 40 __	400+400 mm
F ST F251 50 __	500+500 mm
F ST F251 60 __	600+600 mm
F ST F251 80 __	800+800 mm

F ST F251 30 99	300+300 mm
F ST F251 40 99	400+400 mm
F ST F251 50 99	500+500 mm
F ST F251 60 99	600+600 mm
F ST F251 80 99	800+800 mm



ADDED BAY

←→ 1000 mm

PAINTED

ART.	depth
F ST B251 30 __	300+300 mm
F ST B251 40 __	400+400 mm
F ST B251 50 __	500+500 mm
F ST B251 60 __	600+600 mm
F ST B251 80 __	800+800 mm

GALVANISED

F ST B251 30 99	300+300 mm
F ST B251 40 99	400+400 mm
F ST B251 50 99	500+500 mm
F ST B251 60 99	600+600 mm
F ST B251 80 99	800+800 mm

←→ 1300 mm

ART.	depth
F ST G251 30 __	300+300 mm
F ST G251 40 __	400+400 mm
F ST G251 50 __	500+500 mm
F ST G251 60 __	600+600 mm
F ST G251 80 __	800+800 mm

F ST G251 30 99	300+300 mm
F ST G251 40 99	400+400 mm
F ST G251 50 99	500+500 mm
F ST G251 60 99	600+600 mm
F ST G251 80 99	800+800 mm



ADDED SPAN BAY WITH CROSS PIECE

←→ 1000 mm

PAINTED

ART.	depth
F ST C251 30 __	300+300 mm
F ST C251 40 __	400+400 mm
F ST C251 50 __	500+500 mm
F ST C251 60 __	600+600 mm
F ST C251 80 __	800+800 mm

GALVANISED

F ST C251 30 99	300+300 mm
F ST C251 40 99	400+400 mm
F ST C251 50 99	500+500 mm
F ST C251 60 99	600+600 mm
F ST C251 80 99	800+800 mm

←→ 1300 mm

ART.	depth
F ST H251 30 __	300+300 mm
F ST H251 40 __	400+400 mm
F ST H251 50 __	500+500 mm
F ST H251 60 __	600+600 mm
F ST H251 80 __	800+800 mm





















F ST H251 30 99	300+300 mm
F ST H251 40 99	400+400 mm
F ST H251 50 99	500+500 mm
F ST H251 60 99	600+600 mm
F ST H251 80 99	800+800 mm



METAL COLOURS 























STANDARD BAY WITH REAR WALL

		←→ 1000 mm		←→ 1300 mm			
PAINTED	ART.	depth		ART.	depth		
		F ST D251 30 _ _	300+300 mm			F ST L251 30 _ _	300+300 mm
		F ST D251 40 _ _	400+400 mm			F ST L251 40 _ _	400+400 mm
		F ST D251 50 _ _	500+500 mm			F ST L251 50 _ _	500+500 mm
		F ST D251 60 _ _	600+600 mm			F ST L251 60 _ _	600+600 mm
		F ST D251 80 _ _	800+800 mm			F ST L251 80 _ _	800+800 mm
GALVANISED		F ST D251 30 99	300+300 mm			F ST L251 30 99	300+300 mm
		F ST D251 40 99	400+400 mm			F ST L251 40 99	400+400 mm
		F ST D251 50 99	500+500 mm			F ST L251 50 99	500+500 mm
		F ST D251 60 99	600+600 mm			F ST L251 60 99	600+600 mm
		F ST D251 80 99	800+800 mm			F ST L251 80 99	800+800 mm



ADDED BAY WITH REAR WALL

		←→ 1000 mm		←→ 1300 mm			
PAINTED	ART.	depth		ART.	depth		
		F ST E251 30 _ _	300+300 mm			F ST M251 30 _ _	300+300 mm
		F ST E251 40 _ _	400+400 mm			F ST M251 40 _ _	400+400 mm
		F ST E251 50 _ _	500+500 mm			F ST M251 50 _ _	500+500 mm
		F ST E251 60 _ _	600+600 mm			F ST M251 60 _ _	600+600 mm
		F ST E251 80 _ _	800+800 mm			F ST M251 80 _ _	800+800 mm
GALVANISED		F ST E251 30 99	300+300 mm			F ST M251 30 99	300+300 mm
		F ST E251 40 99	400+400 mm			F ST M251 40 99	400+400 mm
		F ST E251 50 99	500+500 mm			F ST M251 50 99	500+500 mm
		F ST E251 60 99	600+600 mm			F ST M251 60 99	600+600 mm
		F ST E251 80 99	800+800 mm			F ST M251 80 99	800+800 mm



SPAN WIDTH 1000 mm

Each span bay comes complete with 10 shelves. For 300 mm depths, shelves without stiffeners are supplied with a capacity of 120 kg. For 400/500/600/800 mm depths, shelves complete with stiffeners are supplied with a capacity of 300 kg.

SPAN WIDTH 1300 mm

Each span bay comes complete with 10 shelves. For 300 mm depths, shelves without stiffeners are supplied with a capacity of 100 kg. For 400/500/600/800 mm depths, shelves complete with stiffeners are supplied with a capacity of 230 kg.