

## UPRIGHTS

1	ART.	H uprights mm	depth mm	
	F AR 2050 00	1510		
	F AR 2060 00	2010		
	F AR 2070 00	2210	900	
	F AR 2080 00	2510		
	F AR 2090 00	3010		
	F AR 2100 00	1510		
	F AR 2110 00	2010		
	F AR 2120 00	2210	1100	
	F AR 2130 00	2510		
	F AR 2140 00	3010		
	F AR 2150 00	1510		
	F AR 2160 00	2010		
	F AR 2170 00	2210	1300	
	F AR 2180 00	2510		
	F AR 2190 00	3010		



Sides are supplied disassembled  
Fixing material consisting of 2 expansion plugs in M16x140 steel supplied as standard.

## TOP SHELVES

2	ART.		dim. mm	
	F AR 4020 00	300	850×900×50 H	
	F AR 4030 00	250	850×1100×50 H	
	F AR 4040 00	200	850×1300×50 H	
	F AR 4120 00	300	1050×900×50 H	
	F AR 4130 00	250	1050×1100×50 H	
	F AR 4140 00	200	1050×1300×50 H	
	F AR 4220 00	300	1250×900×50 H	
	F AR 4230 00	250	1250×1100×50 H	
	F AR 4240 00	200	1250×1300×50 H	



## HORIZONTAL DISTANCE TIE BARS FOR NORMAL EXTENSION SHELVES

3	ART.		working span mm	
	F AR 1040 00		1250	

2 bars are required for each span



## HORIZONTAL DISTANCE TIE BARS FOR FULL EXTENSION SHELVES

4	ART.		working span mm	
	F AR 1010 00		850	
	F AR 1020 00		1050	
	F AR 1030 00		1250	

2 bars are required for each span



# SYSTEM F AR

## CROSS BRACING

5	ART.	H uprights mm	working span mm	
	F AR 1850 00 _ _	1510		
	F AR 1860 00 _ _	2010		
	F AR 1870 00 _ _	2210	850	
	F AR 1880 00 _ _	2510		
	F AR 1890 00 _ _	3010		
	F AR 1900 00 _ _	1510		
	F AR 1910 00 _ _	2010		
	F AR 1920 00 _ _	2210	1050	
	F AR 1930 00 _ _	2510		
	F AR 1940 00 _ _	3010		
	F AR 1950 00 _ _	1510		
	F AR 1960 00 _ _	2010		
	F AR 1970 00 _ _	2210	1250	
	F AR 1980 00 _ _	2510		
	F AR 1990 00 _ _	3010		



It is required to use one span with cross bracing every at least 2 span lengths



## BAR

6	ART.	H uprights mm	
	F AR 1100 00 _ _	1510	
	F AR 1110 00 _ _	2010	
	F AR 1120 00 _ _	2210	
	F AR 1130 00 _ _	2510	
	F AR 1140 00 _ _	3010	



## LOCKING HOOK


7	ART.	
		The hook is supplied as standard equipment with the extensible shelf



### Single opening

The "AR" series shelving unit must be fitted with the single opening device for extensible shelves. This device allows one shelf at a time to be pulled out and consists of a rod of the same height as the side wall and locking hooks, which must be screwed into the rod to match the extensible shelves. One rod for each span and one hook for each extensible shelf are required (the hook is supplied as standard with the extensible shelf.)

METAL COLOURS



**A** FULL EXTENSION SHELVES WITH 3 EDGES

**SPAN WIDTH 850 mm**

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
<b>F AR 7400 00</b> __		850	900	805	845	770
<b>F AR 7410 00</b> __		850	1100	805	1045	970
<b>F AR 7420 00</b> __		850	1300	805	1245	1170

**SPAN WIDTH 1050 mm**

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
<b>F AR 7500 00</b> __		1050	900	1005	845	770
<b>F AR 7510 00</b> __		1050	1100	1005	1045	970
<b>F AR 7520 00</b> __		1050	1300	1005	1245	1170

**SPAN WIDTH 1250 mm**

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
<b>F AR 7600 00</b> __		1250	900	1205	845	770
<b>F AR 7610 00</b> __		1250	1100	1205	1045	970
<b>F AR 7620 00</b> __		1250	1300	1205	1245	1170



**CAPACITY 1000 kg**

All load capacity values are net and refer to evenly distributed weights






The extension shelves are supplied with a capacity sticker.



**SPAN WIDTH**


# SYSTEM F AR

METAL  
COLOURS 




## A FULL EXTENSION SHELVES WITH 4 EDGES


### SPAN WIDTH 850 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
F AR 7450 00	--	850	900	805	845	770
F AR 7460 00	--	850	1100	805	1045	970
F AR 7470 00	--	850	1300	805	1245	1170


### SPAN WIDTH 1050 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
F AR 7550 00	--	1050	900	1005	845	770
F AR 7560 00	--	1050	1100	1005	1045	970
F AR 7570 00	--	1050	1300	1005	1245	1170

### SPAN WIDTH 1250 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
F AR 7650 00	--	1250	900	1205	845	770
F AR 7660 00	--	1250	1100	1205	1045	970
F AR 7670 00	--	1250	1300	1205	1245	1170

## SPAN WIDTH





**CAPACITY 1000 kg**

All load capacity values are net and refer to evenly distributed weights



The extension shelves are supplied with a capacity sticker.

METAL COLOURS



A

## FULL EXTENSION SHELVES WITH 4 EDGES AND MULTIPLEX COVERING

### SPAN WIDTH 850 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
F AR 7450 01	__	850	900	805	845	770
F AR 7460 01	__	850	1100	805	1045	970
F AR 7470 01	__	850	1300	805	1245	1170

### SPAN WIDTH 1050 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
F AR 7550 01	__	1050	900	1005	845	770
F AR 7560 01	__	1050	1100	1005	1045	970
F AR 7570 01	__	1050	1300	1005	1245	1170

### SPAN WIDTH 1250 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm
F AR 7650 01	__	1250	900	1205	845	770
F AR 7660 01	__	1250	1100	1205	1045	970
F AR 7670 01	__	1250	1300	1205	1245	1170



**CAPACITY 1000 kg**

All load capacity values are net and refer to evenly distributed weights



The extension shelves are supplied with a capacity sticker.



**SPAN WIDTH**

# SYSTEM F AR


METAL  
COLOURS 



## B NORMAL EXTENSION SHELVES WITH 3 EDGES




SPAN WIDTH 1250 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm	
<b>F AR 6600 00</b> _ _		1250	900	1160	800	600	
<b>F AR 6610 00</b> _ _		1250	1100	1160	1000	750	
<b>F AR 6620 00</b> _ _		1250	1300	1160	1200	900	

## B NORMAL EXTENSION SHELVES WITH 4 EDGES




SPAN WIDTH 1250 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm	
<b>F AR 6650 00</b> _ _		1250	900	1160	800	600	
<b>F AR 6660 00</b> _ _		1250	1100	1160	1000	750	
<b>F AR 6670 00</b> _ _		1250	1300	1160	1200	900	



## B NORMAL EXTENSION SHELVES WITH 4 EDGES AND MULTIPLEX COVERING


SPAN WIDTH 1250 mm

ART.		Working span mm	Shelf depth mm	Usable width mm	Usable depth mm	Extension mm	
<b>F AR 6650 01</b> _ _		1250	900	1160	800	600	
<b>F AR 6660 01</b> _ _		1250	1100	1160	1000	750	
<b>F AR 6670 01</b> _ _		1250	1300	1160	1200	900	

SPAN  
WIDTH



**CAPACITY 800 kg**  
All load capacity values are net and refer to evenly distributed weights



The extension shelves are supplied with a capacity sticker.





# SYSTEM F AR

METAL  
COLOURS 




## REAR WALLS


ART.		H shelf mm	Rear wall with plates no.	Span width mm
F AR 1450 00	__	1510	3	850
F AR 1460 00	__	2010	4	
F AR 1470 00	__	2210	4	
F AR 1480 00	__	2510	5	
F AR 1490 00	__	3010	6	
F AR 1500 00	__	1510	3	
F AR 1510 00	__	2010	4	1050
F AR 1520 00	__	2210	4	
F AR 1530 00	__	2510	5	
F AR 1540 00	__	3010	6	
F AR 1550 00	__	1510	3	
F AR 1560 00	__	2010	4	
F AR 1570 00	__	2210	4	
F AR 1580 00	__	2510	5	
F AR 1590 00	__	3010	6	



A back panel must be fitted to each 2 bays


## SIDE WALLS

ART.		H shelf mm	Back panel with plates no.	Span width mm
F AR 1250 00	__	1510	3	900
F AR 1260 00	__	2010	4	
F AR 1270 00	__	2210	4	
F AR 1280 00	__	2510	5	
F AR 1290 00	__	3010	6	
F AR 1300 00	__	1510	3	
F AR 1310 00	__	2010	4	1100
F AR 1320 00	__	2210	4	
F AR 1330 00	__	2510	5	
F AR 1340 00	__	3010	6	
F AR 1350 00	__	1510	3	
F AR 1360 00	__	2010	4	
F AR 1370 00	__	2210	4	
F AR 1380 00	__	2510	5	
F AR 1390 00	__	3010	6	





## PAIR OF SLIDING DOORS

ART.		H shelf mm	Shelf thickness mm	Span width mm	Shelving width mm
F AR 5000 00	__	1510	165		
F AR 5050 00	__	2010	165		
F AR 5100 00	__	2210	165	850	1900
F AR 5150 00	__	2510	165		
F AR 5200 00	__	3010	165		
F AR 5250 00	__	1510	165		
F AR 5300 00	__	2010	165		
F AR 5350 00	__	2210	165	1050	2300
F AR 5400 00	__	2510	165		
F AR 5450 00	__	3010	165		
F AR 5500 00	__	1510	165		
F AR 5550 00	__	2010	165		
F AR 5600 00	__	2210	165	1250	2700
F AR 5650 00	__	2510	165		
F AR 5700 00	__	3010	165		



The sliding doors close 2 span bays and are supplied complete with cylinder lock and 2 keys

## FIXING

### FLOOR FIXING SET



#### ART. F AR 8999 00 99

Floor fixing kit consisting of 2 M16x140 mm steel expansion bolts for non-cracked concrete floors, class higher than or equal to: C20/25.

ALL LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS