













METAL COLOURS

| | |
|---|--|
|  GREY RAL 7000 .01 |  GREEN RAL 6011 .02 |
|  BLUE RAL 5012 .04 |  GREY RAL 7035 .08 |
|  GREY WHITE RAL 9002 .1F |  RUBY RED RAL 3003 .1G |
|  GENTIAN BLUE RAL 5010 .34 |  PURE WHITE RAL 9010 .35 |
|  ANTHRACITE GREY RAL 7016 .39 |  BLUE CAPRI RAL 5019 .48 |



● ART. M 23 A100 C0 10 AZ 04
H = 1000 mm – 7 drawers

PLASTIC COLOURS

| | | | |
|--|--|--|--|
|  DARK GREY .M0 |  MEDITERRANEAN BLUE .M1 |  SKY BLUE .M2 |  GLAMOUR RED .M3 |
|  RED CARPET .M4 |  JUICE ORANGE .M5 |  SUNNY YELLOW .M6 |  FOREST GREEN .M7 |



PARTITIONING MATERIAL SEE PAGE 157/379



DRAWER PRE-SETTING KIT SEE PAGE 158
UTENSILI VEDI PAG. 1416



CONFIGURE YOUR CABINET FROM PAGE 145

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



H 400 mm



| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 A040 C0 10 04 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A040 E2 10 04 04 | | 50-75-100 | 100-96-92% | code |

| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 A040 C0 10 02 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A040 E2 10 02 04 | | 50-75-100 | 100-96-92% | code |

H 600 mm



H 600 mm



| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 A060 C0 10 20 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A060 E2 10 20 04 | | 50-75-100 | 100-96-92% | code |

door 425 mm depth 751 mm

| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 A060 C0 10 17 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A060 T2 10 17 04 | | 50-75-100 | 100-96-92% | code |

H 700 mm



H 700 mm



| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 A070 C0 10 49 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A070 E2 10 49 04 | | 50-75-100 | 100-96-92% | code |

| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 A070 C0 10 35 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A070 E2 10 35 04 | | 50-75-100 | 100-96-92% | code |

H 700 mm



| ART. | | | | |
|-----------------------|-----------|------------|------|--|
| M 23 A070 C0 10 32 04 | 50-75-100 | 100-96-92% | key | |
| M 23 A070 E2 10 32 04 | 50-75-100 | 100-96-92% | code | |

H 700 mm



door 425 mm depth 751 mm

| ART. | | | | |
|-----------------------|-----------|------------|------|--|
| M 23 A070 C0 10 30 04 | 50-75-100 | 100-96-92% | key | |
| M 23 A070 T2 10 30 04 | 50-75-100 | 100-96-92% | code | |

H 800 mm



| ART. | | | | |
|-----------------------|-----------|------------|------|--|
| M 23 A080 C0 10 54 04 | 50-75-100 | 100-96-92% | key | |
| M 23 A080 E2 10 54 04 | 50-75-100 | 100-96-92% | code | |

H 800 mm



| ART. | | | | |
|-----------------------|-----------|------------|------|--|
| M 23 A080 C0 10 56 04 | 50-75-100 | 100-96-92% | key | |
| M 23 A080 E2 10 56 04 | 50-75-100 | 100-96-92% | code | |

H 800 mm



| ART. | | | | |
|-----------------------|-----------|------------|------|--|
| M 23 A080 C0 10 66 04 | 50-75-100 | 100-96-92% | key | |
| M 23 A080 E2 10 66 04 | 50-75-100 | 100-96-92% | code | |

H 800 mm



door 425 mm depth 751 mm

| ART. | | | | |
|-----------------------|-----------|------------|------|--|
| M 23 A080 C0 10 57 04 | 50-75-100 | 100-96-92% | key | |
| M 23 A080 T2 10 57 04 | 50-75-100 | 100-96-92% | code | |

H 850 mm



| ART. | | kg | | |
|-----------------------|--|-----------|------------|------|
| M 23 A085 C0 10 93 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A085 E2 10 93 04 | | 50-75-100 | 100-96-92% | code |

H 850 mm



| ART. | | kg | | |
|-----------------------|--|-----------|------------|------|
| M 23 A085 C0 10 91 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A085 E2 10 91 04 | | 50-75-100 | 100-96-92% | code |

H 850 mm



| ART. | | kg | | |
|-----------------------|--|-----------|------------|------|
| M 23 A085 C0 10 95 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A085 E2 10 95 04 | | 50-75-100 | 100-96-92% | code |

H 850 mm



| ART. | | kg | | |
|-----------------------|--|-----------|------------|------|
| M 23 A085 C0 10 99 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A085 T2 10 99 04 | | 50-75-100 | 100-96-92% | code |

H 1000 mm



| ART. | | kg | | |
|-----------------------|--|-----------|------------|------|
| M 23 A100 C0 10 AZ 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A100 E2 10 AZ 04 | | 50-75-100 | 100-96-92% | code |

H 1000 mm



| ART. | | kg | | |
|-----------------------|--|-----------|------------|------|
| M 23 A100 C0 10 BD 04 | | 50-75-100 | 100-96-92% | key |
| M 23 A100 T2 10 BD 04 | | 50-75-100 | 100-96-92% | code |

H 818 mm



| ART. | | | | |
|------------------------------|--|-----------|------------|------|
| M 23 R060 SO 10 20 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R060 P2 10 20 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 818 mm



| ART. | | | | |
|------------------------------|--|-----------|------------|------|
| M 23 R060 SO 10 21 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R060 P2 10 21 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 918 mm



| ART. | | | | |
|------------------------------|--|-----------|------------|------|
| M 23 R070 SO 10 34 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R070 P2 10 34 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg - Cabinet height without wheels mm 763

H 918 mm



| ART. | | | | |
|------------------------------|--|-----------|------------|------|
| M 23 R070 SO 10 31 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R070 P2 10 31 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg - Cabinet height without wheels mm 763



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm

H 1018 mm



H 1018 mm



| ART. | | kg | | |
|------------------------------|--|-----------|------------|------|
| M 23 R080 S0 10 63 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R080 P2 10 63 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg – Cabinet height without wheels mm 863

| ART. | | kg | | |
|------------------------------|--|-----------|------------|------|
| M 23 R080 S0 10 56 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R080 P2 10 56 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg – Cabinet height without wheels mm 863

H 1068 mm



H 1068 mm



| ART. | | kg | | |
|------------------------------|--|-----------|------------|------|
| M 23 R085 S0 10 94 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R085 P2 10 94 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg – Cabinet height without wheels mm 913

| ART. | | kg | | |
|------------------------------|--|-----------|------------|------|
| M 23 R085 S0 10 95 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R085 P2 10 95 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg – Cabinet height without wheels mm 913



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm

H 1218 mm



H 1218 mm



| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 R100 S0 10 AY 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R100 P2 10 AY 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg – Cabinet height without wheels mm 1063

| ART. | | | | |
|-----------------------|--|-----------|------------|------|
| M 23 R100 S0 10 AZ 04 | | 50-75-100 | 100-96-92% | key |
| M 23 R100 P2 10 AZ 04 | | 50-75-100 | 100-96-92% | code |

Cabinet capacity 235 kg – Cabinet height without wheels mm 1063



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm



ART. M 23 R070 P2 14 NL 08

SEE PAGE 289

ART. M 23 A100 C0 16 NG 04

SEE PAGE 289



ART. M 23 R080 P2 15 NM 39
SEE PAGE 289

CONFIGURE YOUR CABINET

CHOOSE
a height

CHOOSE
a closure

CHOOSE
a colour

| | | | | |
|------------|-------------|-----------|--------------|-----------|
| M23 | A040 | C5 | 10 00 | 01 |
|------------|-------------|-----------|--------------|-----------|

EMPTY CABINET



Cabinet load capacity 3100 kg

| | HEIGHT | CLOSURE | HEIGHT | COLOUR |
|------------|--|-----------------------------------|--------------------|--------------------|
| M23 | A040 400 mm (working dim. 300 mm) | X0 no bar and no lock | 10 00 | 01 RAL 7000 |
| | A060 600 mm (working dim. 500 mm) | C5* no lock | | 02 RAL 6011 |
| | A070 700 mm (working dim. 600 mm) | C0* KEY cylinder lock | | 1G RAL 3003 |
| | A080 800 mm (working dim. 700 mm) | C1* KEY cylinder lock | | 1F RAL 9002 |
| | A085 850 mm (working dim. 750 mm) | C2* KEY cylinder lock | | 48 RAL 5019 |
| | A100 1000 mm (working dim. 900 mm) | E2* CODE numerical code | | 39 RAL 7016 |
| | A150 1500 mm (working dim. 1400 mm) | T2* CODE numerical code | | 04 RAL 5012 |
| | A200 2000 mm (working dim. 1900 mm) | | | 08 RAL 7035 |
| | | | 35 RAL 9010 | |
| | | | 34 RAL 5010 | |

*COMPLETE WITH VERTEBRATE BAR



EMPTY CABINET pre-set for wheels



WHEELS
SEE PAGE
33

| | HEIGHT | CLOSURE | HEIGHT | COLOUR |
|------------|---|----------------------------------|--------------|--------------------|
| M23 | R060 663 mm (working dim. 500 mm) | S0 KEY cylinder lock | 10 00 | 01 RAL 7000 |
| | R070 763 mm (working dim. 600 mm) | S1 KEY cylinder lock | | 02 RAL 6011 |
| | R080 863 mm (working dim. 700 mm) | S2 KEY cylinder lock | | 1G RAL 3003 |
| | R085 913 mm (working dim. 750 mm) | P2 CODE numerical code | | 1F RAL 9002 |
| | R100 1063 mm (working dim. 900 mm) | A1 CODE numerical code | | 48 RAL 5019 |
| | | | | 39 RAL 7016 |
| | | 04 RAL 5012 | | |
| | | 08 RAL 7035 | | |
| | | 35 RAL 9010 | | |
| | | 34 RAL 5010 | | |

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT
Overall dim. mm 587x800



FLEXIBLE EXTENSION DRAWERS

| ART. WITH Dark Grey plastic kit | ART. NO plastic kit* | Usable dim. mm | Front H mm | kg | |
|---------------------------------|----------------------|----------------|------------|---------------|------------------|
| M 23 C050 0110 OF __ | M 23 C050 0100 OF __ | 447x600x31 H | 50 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C075 0110 OF __ | M 23 C075 0100 OF __ | 447x600x56 H | 75 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C100 0110 OF __ | M 23 C100 0100 OF __ | 447x600x81 H | 100 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C125 0110 OF __ | M 23 C125 0100 OF __ | 447x600x106 H | 125 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C150 0110 OF __ | M 23 C150 0100 OF __ | 447x600x131 H | 150 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C200 0110 OF __ | M 23 C200 0100 OF __ | 447x600x181 H | 200 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C250 0110 OF __ | M 23 C250 0100 OF __ | 447x600x231 H | 250 | 50 - 75 - 100 | 100% - 96% - 92% |
| M 23 C300 0110 OF __ | M 23 C300 0100 OF __ | 447x600x281 H | 300 | 50 - 75 - 100 | 100% - 96% - 92% |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



TELESCOPIC EXTRACTION DRAWERS

| ART. WITH Dark Grey plastic kit | ART. NO plastic kit* | Usable dim. mm | Front H mm | kg | |
|---------------------------------|----------------------|----------------|------------|-----|------|
| M 23 C075 0110 OT __ | M 23 C075 0100 OT __ | 447x600x56 H | 75 | 200 | 100% |
| M 23 C100 0110 OT __ | M 23 C100 0100 OT __ | 447x600x81 H | 100 | 200 | 100% |
| M 23 C125 0110 OT __ | M 23 C125 0100 OT __ | 447x600x106 H | 125 | 200 | 100% |
| M 23 C150 0110 OT __ | M 23 C150 0100 OT __ | 447x600x131 H | 150 | 200 | 100% |
| M 23 C200 0110 OT __ | M 23 C200 0100 OT __ | 447x600x181 H | 200 | 200 | 100% |
| M 23 C250 0110 OT __ | M 23 C250 0100 OT __ | 447x600x231 H | 250 | 200 | 100% |
| M 23 C300 0110 OT __ | M 23 C300 0100 OT __ | 447x600x281 H | 300 | 200 | 100% |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOUR | ART. |
|--------------------|-----------------------|
| MEDITERRANEAN BLUE | M 20 PLS1 00 00 00 M1 |
| SKY BLUE | M 20 PLS1 00 00 00 M2 |
| GLAMOUR RED | M 20 PLS1 00 00 00 M3 |
| RED CARPET | M 20 PLS1 00 00 00 M4 |
| JUICY ORANGE | M 20 PLS1 00 00 00 M5 |
| SUNNY YELLOW | M 20 PLS1 00 00 00 M6 |
| FOREST GREEN | M 20 PLS1 00 00 00 M7 |



FLEXIBLE EXTENSIBLE SHELVES

| ART. WITH Dark Grey plastic kit | ART. NO Plastic kit* | Usable dim. mm | Front H mm | kg | |
|---------------------------------|------------------------|----------------|------------|---------------|------------------|
| M 23 C057 0110 OF _ _ | M 23 C057 01 00 OF _ _ | 447x600 | 70 | 50 - 75 - 100 | 100% - 96% - 92% |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



TELESCOPIC EXTENSIBLE SHELVES

| ART. WITH Dark Grey plastic kit | ART. NO Plastic kit* | Usable dim. mm | Front H mm | kg | |
|---------------------------------|------------------------|----------------|------------|-----|------|
| M 23 C057 0110 OT _ _ | M 23 C057 01 00 OT _ _ | 447x600 | 70 | 200 | 100% |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



ADJUSTABLE SHELF

| ART. | Usable dim. mm | Total H mm | kg |
|------------------------|----------------|------------|----|
| M 23 PR25 00 00 01 _ _ | 504x631 | 60 | 70 |

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOURS | ART. |
|--------------------|-----------------------|
| MEDITERRANEAN BLUE | M 20 PLS1 00 00 00 M1 |
| SKY BLUE | M 20 PLS1 00 00 00 M2 |
| GLAMOUR RED | M 20 PLS1 00 00 00 M3 |
| RED CARPET | M 20 PLS1 00 00 00 M4 |
| JUICY ORANGE | M 20 PLS1 00 00 00 M5 |
| SUNNY YELLOW | M 20 PLS1 00 00 00 M6 |
| FOREST GREEN | M 20 PLS1 00 00 00 M7 |











ART. M 23 A150 XO 14 NH AE

SEE PAGE 289

HINGED DOORS WITH CYLINDER

FULL HEIGHT HINGED DOORS - REVERSIBLE














| CABINET H mm | TYPE OF CLOSURE | ART. WITH Dark Grey plastic kit  | ART. NO Plastic kit*  |
|--------------|--|---|--|
| 600 |  C0 KEY cylinder lock | M 20 P050 C0 10 00 __ | M 20 P050 C0 00 00 __ |
| |  C1 KEY cylinder lock | M 20 P050 C1 10 00 __ | M 20 P050 C1 00 00 __ |
| |  C2 KEY cylinder lock | M 20 P050 C2 10 00 __ | M 20 P050 C2 00 00 __ |
| 700 |  C0 KEY cylinder lock | M 20 P060 C0 10 00 __ | M 20 P060 C0 00 00 __ |
| |  C1 KEY cylinder lock | M 20 P060 C1 10 00 __ | M 20 P060 C1 00 00 __ |
| |  C2 KEY cylinder lock | M 20 P060 C2 10 00 __ | M 20 P060 C2 00 00 __ |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT

▶ PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



| CABINET H mm | TYPE OF CLOSURE | ART. WITH Dark Grey plastic kit  | ART. NO Plastic kit*  |
|--------------|--|---|--|
| 425 |  C0 KEY cylinder lock | M 20 P042 C0 10 01 __ | M 20 P042 C0 00 01 __ |
| |  C1 KEY cylinder lock | M 20 P042 C1 10 01 __ | M 20 P042 C1 00 01 __ |
| |  C2 KEY cylinder lock | M 20 P042 C2 10 01 __ | M 20 P042 C2 00 01 __ |
| 525 |  C0 KEY cylinder lock | M 20 P052 C0 10 01 __ | M 20 P052 C0 00 01 __ |
| |  C1 KEY cylinder lock | M 20 P052 C1 10 01 __ | M 20 P052 C1 00 01 __ |
| |  C2 KEY cylinder lock | M 20 P052 C2 10 01 __ | M 20 P052 C2 00 01 __ |
| 625 |  C0 KEY cylinder lock | M 20 P062 C0 10 01 __ | M 20 P062 C0 00 01 __ |
| |  C1 KEY cylinder lock | M 20 P062 C1 10 01 __ | M 20 P062 C1 00 01 __ |
| |  C2 KEY cylinder lock | M 20 P062 C2 10 01 __ | M 20 P062 C2 00 01 __ |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT

 LOCKS SEE PAGE 31



HINGED DOORS WITH NUMERICAL CODE

FULL HEIGHT HINGED DOORS - RIGHT-HAND OPENING ONLY



| CABINET H mm | TYPE OF CLOSURE | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit* |
|--------------|-------------------------------------|---------------------------------|-----------------------|
| 600 | P5 CODE numerical code | M 20 P050 P5 10 00 __ | M 20 P050 P5 00 00 __ |
| 700 | P5 CODE numerical code | M 20 P060 P5 10 00 __ | M 20 P060 P5 00 00 __ |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



| DOOR FOOTPRINT H mm | TYPE OF CLOSURE | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit* |
|---------------------|------------------------------------|---------------------------------|-----------------------|
| 425 | A4 handle without keypad | M 20 P042 A4 10 01 __ | M 20 P042 A4 00 01 __ |
| 525 | A4 handle without keypad | M 20 P052 A4 10 01 __ | M 20 P052 A4 00 01 __ |
| 625 | A4 handle without keypad | M 20 P062 A4 10 01 __ | M 20 P062 A4 00 01 __ |

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:
USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS
USE THE **A1** LOCK FOR THE CABINET WITH WHEELS



LOCKS SEE PAGE 31

REMOTE CONTROL



| ART. | |
|-----------------------|-------------------------------------|
| M 00 VRC0 00 00 00 00 | Receiver module with remote control |
| M 00 VRC0 00 00 01 00 | Additional remote control |

PLASTIC KIT FOR HINGED DOORS



| PLASTIC COLOUR | ART. KEY | ART. CODE |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1 | M 00 PLS0 00 00 21 M1 |
| SKY BLUE | M 00 PLS0 00 00 20 M2 | M 00 PLS0 00 00 21 M2 |
| GLAMOUR RED | M 00 PLS0 00 00 20 M3 | M 00 PLS0 00 00 21 M3 |
| RED CARPET | M 00 PLS0 00 00 20 M4 | M 00 PLS0 00 00 21 M4 |
| JUICY ORANGE | M 00 PLS0 00 00 20 M5 | M 00 PLS0 00 00 21 M5 |
| SUNNY YELLOW | M 00 PLS0 00 00 20 M6 | M 00 PLS0 00 00 21 M6 |
| FOREST GREEN | M 00 PLS0 00 00 20 M7 | M 00 PLS0 00 00 21 M7 |



3-EDGE TOP SHELF

| ART. | dim. mm | |
|------------------------------|--------------|--|
| M 23 T023 AG 00 31 07 | 561x726x23 H | |

Pvc coated shelf for SINGLE CABINET. Black colour



4-EDGE TOP SHELF

| ART. | dim. mm | |
|------------------------------|--------------|--|
| M 23 T023 AG 00 41 07 | 561x726x23 H | |

Pvc coated shelf for SINGLE CABINET. Black colour



ART. M 00 T023 AG 00 FO 00
CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



MULTIPLEX TOP SHELF

| ART. | dim. mm | |
|------------------------------|--------------|--|
| M 23 T040 MU 00 01 00 | 561x726x40 H | |

For SINGLE CABINET



MDF TOP SHELF DIM. 561x726x32 mm H

| ART. | finishes | for cabinet | |
|------------------------------|----------------|----------------|--|
| M 23 T030 MD GM 21 07 | 1 side profile | RH or LH final | |

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 561x726x32 mm H

| ART. | finishes | for cabinet | |
|------------------------------|----------|-------------|--|
| M 23 T030 MD GM 11 07 | - | central | |

MDF shelf with oil-proof top rubber coating. Black colour




MDF TOP SHELF DIM. 561x726x32 mm H

| ART. | finishes | for cabinet | |
|------------------------------|-----------------|-------------|--|
| M 23 T030 MD GM 01 07 | 2 side profiles | single | |

MDF shelf with oil-proof top rubber coating. Black colour



ART. M 00 T030 MD 00 FO 00
CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS




**OIL-PROOF
RUBBER
FINISHING**



**MDF SHELF
APPLICATION**


HEIGHT RAISING PLINTH 50 mm



| ART. |  | dim. mm | |
|------------------------|---|--------------|--|
| M 23 Z050 00 00 00 _ _ | | 559x725x50 H | |

HEIGHT RAISING PLINTH 100 mm



| ART. |  | dim. mm | |
|------------------------|---|---------------|--|
| M 23 Z100 00 00 00 _ _ | | 559x725x100 H | |



STANDAR RUBBER FIXED WHEEL

| ART. | Ø mm | cabinet capacity kg | C mm |
|----------------|------|---------------------|------|
| C RG BAC11 100 | 100 | 160 | 128 |
| C RG BAC12 125 | 125 | 235 | 155 |



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

| ART. | Ø mm | cabinet capacity kg | C mm |
|----------------|------|---------------------|------|
| C RG DAC11 100 | 100 | 160 | 128 |
| C RG DAC12 125 | 125 | 235 | 155 |



NYLON FIXED WHEEL

| ART. | Ø mm | cabinet capacity kg | C mm |
|----------------|------|---------------------|------|
| C RN BAD10 100 | 100 | 310 | 128 |
| C RN BAD11 125 | 125 | 475 | 155 |



NYLON SWIVEL WHEEL WITH BRAKE

| ART. | Ø mm | cabinet capacity kg | C mm |
|----------------|------|---------------------|------|
| C RN DAD10 100 | 100 | 310 | 128 |
| C RN DAD11 125 | 125 | 475 | 155 |



SPARE PARTS - FIXING

OTHER WHEELS
SEE PAGE 33

SPARE LOCK

ART. M 00 CSR0 8800 00 00
Spare lock with two keys



SPARE KEY

ART. M 00 CF00 0000 00 00
Always specify the number indicated in the cylinder lock where you wish to replace the key



MASTER KEY

ART. M 00 PF.. 0000 00 00
Available in 23 series, numbered from F 01 to F 23.

Master key series F 01
Master key series F 02
Master key series F ..

ART. M 00 PF01 00 00 00 00
ART. M 00 PF02 00 00 00 00
ART. M 00 PF.. 00 00 00 00

CABINET-TO-CABINET FIXING SET

ART. M 00 FIS0 00 00 00 99
Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

ART. M 00 SVR0 00 00 00 99
Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET



ART. F AG 9200 00 99
Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99
2 "HILTI" stud anchors suitable for non-cracked concrete floors \geq class C20/25
Recommended anchor strength: 2.9 KN
Anchor diameter: \varnothing 6 mm



SPARE HANDLE

ART. M 00 PLS0 0000 22 M0
Replacement door handle available in Dark Grey.



OTHER COLOURS
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



MASTER

561x726 mm

Born To Be Extreme

EMPTY CABINET without vertebrate bar and without lock



H 400 mm
Useful H 300 mm



H 600 mm
Useful H 500 mm



H 700 mm
Useful H 600 mm



H 800 mm
Useful H 700 mm



H 850 mm
Useful H 750 mm



M 23 A040 X0 10 00 _ _

M 23 A060 X0 10 00 _ _

M 23 A070 X0 10 00 _ _

M 23 A080 X0 10 00 _ _

M 23 A085 X0 10 00 _ _

VERTEBRATE BAR



The vertebrate bar is a perforated extruded aluminium profile with 25 mm hole pitch for insertion of the anti-tilt spring. The anti-tilt bar is supplied complete with plastic accessories and a top structure designed for cylinder or electronic lock closure.

| ART. | Working H (mm) for drawer insertion |
|-----------------------|--|
| M 00 V030 00 00 00 00 | 300 |
| M 00 V050 00 00 00 00 | 500 |
| M 00 V060 00 00 00 00 | 600 |
| M 00 V070 00 00 00 00 | 700 |
| M 00 V075 00 00 00 00 | 750 |
| M 00 V090 00 00 00 00 | 900 |

| ART. | Working H (mm) for drawer insertion |
|-----------------------|--|
| M 00 V105 00 00 00 00 | 1050 |
| M 00 V122 00 00 00 00 | 1225 |
| M 00 V140 00 00 00 00 | 1400 |
| M 00 V152 00 00 00 00 | 1525 |
| M 00 V190 00 00 00 00 | 1900 |

CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.

M 23 V000 C0 00 00 00 C0 CYLINDER LOCK WITH DIFFERENT NUMBERING

M 23 V000 C1 00 00 00 C1 CYLINDER LOCK FOR SETS OF 160 NUMBERS

M 23 V000 C2 00 00 00 C2 CYLINDER LOCK WITH SAME NUMBERING

For Experts Only



H 1000 mm
Useful H 900 mm



H 1500 mm
Useful H 1400 mm



H 2000 mm
Useful H 1900 mm



M 23 A100 X0 10 00 _ _

M 23 A150 X0 10 00 _ _

M 23 A200 X0 10 00 _ _

NUMERICAL CODE LOCK (CODE)



ART.

M 23 V000 E2 00 00 00

E2 BAR OPENING/CLOSING (battery power supply)

M 23 V000 E5 00 00 00

E5 BAR OPENING/CLOSING (mains power supply)

M 23 V000 T2 00 00 00

T2 DOOR + BAR OPENING/CLOSING (battery power supply)

M 23 V000 T3 00 00 00

T3 DOOR + BAR OPENING/CLOSING (mains power supply)

ART. REMOTE CONTROL

M 00 VRC0 00 00 00 00

Receiver module with remote control

M 00 VRC0 00 00 01 00

Additional remote control



SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

TOP SHELF FOR LOCKS



ART.



Front H mm

kg

M 23 PS46 00 10 00 _ _

46

150

Dim. mm 510x724x46 H

BOTTOM SHELF FOR LOCKS



ART.



Front H mm

kg

M 23 PS46 10 10 00 _ _

46

150

Dim. mm 510x724x46 H

ADJUSTABLE SHELF



ART.



Total H mm

kg

M 23 PR25 00 00 01 _ _

60

70

Usable dim. mm 504x631x60 H

SLOTTED ADJUSTABLE SHELF



ART.



Front H mm

kg

M 23 PR35 10 00 01 _ _


35

100

Dim. mm 510x721x35 H

27x36 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 8605 01 00 50 – 300


Set including: 12 troughs 4 grooves,
50 plain partitions 36 mm



ART. for front height mm

F FH 8605 06 00 50 – 300


Set including: 12 troughs 3 grooves,
27 plain partitions 47 mm



ART. for front height mm

F FH 8605 04 00 50 – 300

Set including: 12 troughs 2 grooves,
18 plain partitions 73 mm




ART. for front height mm

F FH 8605 17 00 50

F FH 8607 17 00 75

Set including: 16 plastic boxes 75x75 mm, 8 plastic
boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

F FH 8605 18 00 50

F FH 8607 18 00 75

F FH 8610 18 00 100 – 125

Set including: 12 plastic boxes 150x75 mm,
6 plastic boxes 150x150 mm



ART. for front height mm

F FH 8605 08 00 50

F FH 8607 08 00 75


F FH 8610 08 00 100 – 125

F FH 8615 08 00 150

F FH 8620 08 00 200 – 250

F FH 8630 08 00 300

Set including: 2 slotted partitions 610 mm,
3 plain partitions 149 mm



ART. for front height mm

F FH 8605 09 00 50


F FH 8607 09 00 75

F FH 8610 09 00 100 – 125

F FH 8615 09 00 150

F FH 8620 09 00 200 – 250

Set including: 2 slotted partitions 610 mm,
10 plain partitions 149 mm



ART. for front height mm


F FH 8605 10 00 50

F FH 8607 10 00 75

F FH 8610 10 00 100 – 125

F FH 8615 10 00 150

Set including: 3 slotted partitions 610 mm, 6 plain
partitions 98 mm, 2 plain partitions 149 mm



ART. for front height mm

F FH 8605 13 00 50

F FH 8607 13 00 75

F FH 8610 13 00 100 – 125

F FH 8615 13 00 150

F FH 8620 13 00 200 – 250

F FH 8630 13 00 300

Set including: 2 plain partitions 610 mm